Cat. #811NP 75¢

Flying Model Rocket Catalog CENTRAL Flying Model Rocket Catalog





22 NEW PRODUCTS
"WAR IN SPACE" KITS
SPACE SHUTTLE COLUMBIA
LOWEST-COST STARTER SET

INCLUDES:

ROCKET TIMES Magazine AEROSPACE TEAM News 4 Exciting CONTESTS 8-Page FLIGHT MANUAL



THIS CATAL	OG PROPERTY OF:
Name	
Address	
City	State

Welcome...

TO THE MOST EXCITING HOBBY IN THE WORLD!

Greeting, friends old and new. If you are new to model rocketry, you are about to join the worldwide fraternity of rocketeers who build and fly the Centuri way.

Imagine the rocket YOU built now on the launch pad. After a dramatic countdown, the engine roars to life and your model soars a thousand feet skyward. You wait anxiously . . . and then see the parachute blossom and gracefully bring your rocket safely back for another flight!

If new, you should read pages 4 & 5 and the enclosed Flight Manual. We recommend you start with an outfit; it's the easiest, least expensive introduction. Copies of this catalog distributed by stores do not contain prices; prices may be seen on packages in the stores.

Our biggest "new product" this year is our Bonus Pack program tied into one-half of our 22 actual new products. See the unique War in Space kits and their Combo Pack (pg. 2), three big new military kits with bonus engine (pg. 32-33), two new Flight Packs with built-in engine savings and bonus wadding (pg. 35), new Sure-Shot II igniters with money saving 12pack (pg. 39) and the new low-cost Thunder Hawk Outfit with 3 bonus engines (back cover), 1981 is Centuri's Year of the Bonus Packs!

Other new products to look for include the clean lined Spirit of America kit (pg. 13), new high-thrust B8 engines (pg. 39), low-cost Lightning Bolt Launcher (pg. 40), heavy duty launch rod (pg. 41), Magnum-D engine mounts with bonus engine locks (pg. 46) and the newly published book on page 48. This is our biggest selection ever, of new products for you.

Come fly with us! ANAM Grant Boyd





Centuri Engineering Co., Inc. Box 1988, Phoenix, Arizona 85001

SR-71 Blackbird cover photo courtesy of Lockheed Aircraft Corp.

SOME OF OUR PRODUCTS FOR 1981!

Page 13













WAR IN SPACE" KITS.

OUTFITS & STARTER SETS

HOW TO GET STARTED









OUTTION OF DIANTER SE 13	
Eagle Power	6
Big Shot	6
Flying Saucer	8
Columbia	9
MODEL ROCKET KITS	
Kwik Kits	10
Beginner •	11
Thunder Kits	15
Super Kits	16
SF & Flying Saucer	18
Sport Scale & Columbia	20
Super Scale	22
Strike Force	24
Fighter Fleet	26
Multi-Stage	28
Boost Gliders	30
Magnum-D	31
1981 Bonus Pack Kits *	32
ROCKETRY EXPLORATION	
Designers Special	34
Viking Project	35
Flight Packs★★	35
ENGINES Enerjet/Magnum-D	
Information	36
Recommended Engines	38
Specs & Igniters • • • •	39
LAUNCH EQUIPMENT	40
RECOVERY DEVICES	42
PARTS ***	44
POWER-SYSTEM OUTFIT	47
PUBLICATIONS .	48
FLIGHT MANUAL	49
ROCKET TIMES MAGAZINE	57
Contests	59
Centuri Aerospace Team	60
M.R. Hq. POSTER OFFER	63

* Star indicates a "Bonus" new product, Dot indicates a regular new product.

THUNDERHAWK OUTFIT★ 64









Model rocketry is a nationally recognized hobby with a safety record of over 100 million successful launches.

Centuri Enerjet model rocket engines are fested and certified by National Association of Rocketry
 Canadian Association of Rocketry

Truesdail Laboratories, Inc. Canada Dept. of Energy

Centuri compline with model rocketry standards established by:

OLS: Health, Education & Welfare ULS: Dopt. of Transportation

Consumer Product Safety Commission & Federal Aviation Admin.

National Fire Protection Association & U.S: Postal Service

Model rocketry is andorsed as a safe & rewarding activity by: N.A.S.A. Boy Scouts of America U.S.A.F.

HOW TO GET STARTED

Start with an out

Outfits

Centuri outfits and starter sets have everything you need to fly-kit, launcher, engines, and flight supplies, plus easy-to-follow instructions. All you need is a battery, some simple modeling tools and you're ready to begin. Look over the outfit section on the next several pages and get started now!

Kits

There are over 60 to select from including beginner's rockets, multi-stage rockets, military tactical missiles, science fiction, scale models, jet fighters, space ships, boost gliders, payload carriers, and others. Kits do not include engines, glue, paint or launcher.

Engines and Flight Supplies

24 different N.A.R. approved Centuri rocket engines are available plus igniters, chute wadding, shock cords, parachutes and more. Our Magnum-D line of rocket engines are unmatched for high power dependability.

Launchers

Launch systems (in all outfits) are also available separately for when you're ready to move up.

Parts

Centuri has the largest selection available including custom assortments for both the beginner and the advanced rocketeer. With these parts you can build rockets of your own design.

Age and Skill Level

SKILL LEVEL 5 Intermediate Advanced

The Skill Levels and symbol are shown on all kit pages.

Model rockets are recommended for age 10 and up. Adult supervision suggested for those under 12 years. When choosing a kit check the skill Iveel number shown in catalog or on package.

- 1. Simple To Build-For the beginner with no previous model rocket experience.
- 2. Easy To Bulld-Experience in other modeling hobbies-built and flown Level 1.
- 3. Average Challenge Built and flown both Levels 1 and 2.
- 4. Above Average Challenge-Staging, boost glider or scale model rocket experience.
- 5. Advanced Challenge A continued and solid background in model rocketry.

Name

Boldest word/s.

Features Information building and

Kit Number

Price

Subject to change

Physical Specs

of length, diameter and weight without an engine.

Skill Level

from 1 to 5 which show degree of challenge,

Engine Info

Choose then see the chart 38 for recommended



Special Items

Certain Centuri products are too specialized for retail stores, and are available only factory-direct, from Centuri, Some examples in this catalog include fin units and certain literature in the Publication chart; all are marked "Special Items." To order, include \$1.00 for postage and handling, send to Centuri Dept. 719.

What is a model rocket?

They have different shapes . . . a typical rocket is shown.

> Nose Cone: Plastic or balsa Guides air around rocket.

Body Tube: Special strong paper tubing; the "airframe."

Recovery System: Usually a parachute, for safe descent.

Wadding: Flame proof material protects chute when ejection charge ignites.

Launch Lug: Small tube guides rocket off launcher.

> Fins: Balsa, fibre or plastic. Fins keep the rocket going straight up.

Engine Mount: Holds the engine in place.

Rocket Engine: Safe, non-reusable device. A new engine needed for each flight.



Atupical Century kit

Unless otherwise stated, all model rockets for sale in this catalog are hobby kits requiring assembly. Centuri kits are made from a wide variety of materials; balsa,

plastic or paper. Each is chosen for light weight for high altitudes. For best appearance some painting is usually required. All kits include a recovery system, and almost all have decals. Tools, engines, paint, glue and launchers are not included. See Flight Manual for recommendations on tools, finishing and painting. Centuri kits are recognized for high quality. clear instructions and innovative parts design.



FULL ONE YEAR Warrantu

Centuri assures your satisfaction with our products.

Ignition:

launcher.

by electrical



MODEL ROCKET OUTFITS 1 2 3 4 5 TO START The best CONTROL EAGLE POWER is our most popular starting outfit and really gets you off to a "flying start" in model rocketry. The big box contains everything you need to fly. All you need is a 6 volt lantern battery and a modeling knife and you're ready for the launch pad! Attach the ignition wires, and prepare for countdown-safety key inserted, your Screaming Eagle rocket streaks skyward- then listen for chute ejection, and see the chute blossom as your rocket begins its descent for another flight. Fly it again and again. and any other Centuri rocket too. You're now on your way as a Centuri rocketeer! Prod. No. 5404 Skill Level 1 EAGLE POWER INCLUDES: · Screaming Eagle Kit · Glue & Supplies Powr-Pad Launcher · Mini-Manual · 2 Engines & Igniters R&D Tip EAGLE Kits also Powr-Pad launcher featured available in most outfits is also separately. available separately. See pages 10 & 20. See page 40. Two Big Rockets BIG SHOT INCLUDES: · Excalibur Kit Screaming Eagle Kit Powr Pad Launcher 4 Engines & Igniters . Glue & Supplie e Rocksteer's Guideliook This fantastic starter outfit contains the same equipment you get in the Eagle Power outfit PLUS one of our tallest rockets—EXCALIBUR—a long slim "performer" standing over two feet high. Also included is our Rocketeer's Guidebook containing everything from A to Z in model rocketry and many photos and illustrations. The almost ready-to-fly Screaming Eagle rocket is valso included plus the Powr-Pad launch system and four engines. With Big Shot, you have two rockets that you can fly again and again, plus a professional launching system that really gets you established in model rocketry. Prod. No. 5406 Skill Level 1



FANTASTIC! A ROCKET-POWERED UFO THAT YOU CAN FLY AGAIN AND AGAIN!

UFO's are here! Think about the thrill and excitement of walking up to the launch pad with your rocket-powered flying saucer that really flies! Countdown over, the powerful Super-C engine thrusts your Allen Scoutship skyward to a surprising height. As the thrust phase ends, you watch as your saucer rolls smoothly over to begin its landing descent. And what a beautiful recovery it is—floating down on air, just like the real thing to land gently on its tripod antennas—spectacular!

Construction is easy—no tools required, just white give. "Space-glow" decals including allon emblem let your saucer glow in the dark. Embossed pre-cut fibre surfaces provide authentic realism and ultra-detail for display. Everything needed to fly (excluding give and a 6-Volt lantern battery) is contained in this

revolutionary outfit including mini-manual and our special UFO Tech Report. There ARE flying saucers and this outfit is the beginning!

Prod. No. 5205

Skill Level 2

Realistic "no-parachute" floating recovery using aeorodynamic braking

Tracks straight up

with unique center

stabilization system

fin "core-tube"

principles!

INCLUDES!

- Flying Saucer
- Powr-Pad Launcher
- 3 Engines + Igniters
- Mini-Manual
- . UFO Tech Report



Flying Saucer kit also avail able separately. See page 18

(Battery not included)



America's Newest Spaceship!

1 2 3 4 5

THESE 3 KITS ALL FEATURE:

- No sanding or sealing
- Pre-colored parts
- White body tubes
- Colorful stick-on decals
- All you need is white glue, scissors, and pencil

ALMOST READY TO FLY!

RECOMMENDED ENGINES LISTED ON PAGE 38

Screaming Eag

THE WINNER!

Our explicit to build, and most popular rucket, "EAGLE," comes with all parts pre-formed and pre-colored including the chorne stick on decats. It's a real performer, too, with flights to over 1,200 feet, using "O" engines, includes complete plasticitall and fin section, colored body wrapper, plastic nois cons,

Pron. No. 5173

Denth 16.41 (41.7c) Bote Diam, 0.91 (2.3cm) Not We 1.6cc (46.4c)

#5467 F-413L fin unit \$1.50

noenix

OVER 2 FEET LONG!

The perfect big kit for the beginning rocketeer. Simple, quick construction gets Phoenix Bird to the launch pad in a hurry. Over two feet long everything about Phoenix Bird is BIG including its 20" recovery chure, Watch a lift-off that is slow and spectacular followed by a high flight and gentie recovery. Great for demos

Prod. No. 5407

2 BIG PARACHUTES!

Research rocket styled after the Air Force X-17. Two different plastic nose cones and dual recovery chutes make this rocket an exciting beginners' kit. Pre-colored parts and colorful decals give Argus a scale-like appearance. Over 28" tall, Argus streaks smoothly skyward and recovers ever so gently with two big parachutes. Extra-easy to assemble with molded one-piece plastic tail cone and fins. No tools or measuring-just give together 10 and be in the air in less than an hour.

SPECIFICATIONS Body Diam. 1,34" (3,4cm)

Skill Level 2

Prod. No. 5039

- Molded single unit fins

IDEAL BEGINNER'S KIT!

Quickly assembled and easily flown, Astro-1 is our ideal beginners' rocket. An extremely clean design, this classic rocket is stable and fully capable of high altitude flights. Watch Astro zoom smoothly off the launch pad and return softly under its bright parachute canopy. Pre-cut fins, a rugged plastic nose cone, colorful decals, quickchange engine lock

12345

Prod. No. 5047

included.

SPECIFICATIONS Leogth 16" (40.6cm) Body Diam. 1.04" (2.6cm) Nei Wt. 1.1oz (31.2g)

Skill Level 1

RADTIP

A good first model for chute duration.

Micron FLIGHTS TO

IT'S EASY TO GET STARTED WITH Centuri

BEGINNER KITS

Micron is extra-easy to build and has big single-stage performance due to its light

weight. Colorful streamer recovery gives a soft, safe landing. Printed fins and a plastic nose cone plus roll pattern decals make Micron a standout on the launch pad. A great first or second kit that promises real excitement and fun.

Prod. No. 5005

SPECIFICATIONS Length 8.5" (21.6cm) Body Diam. 0.76" [1.9cm] 0.4oz (11,4g) Skill Level 1

LEAST EXPENSIVE Prod. No. 5440 Skill Level 1

Details are on page 35,

CUSTOMIZED FINS!

You can select from 8 exotic fin shapes to customize this high performer-Aero Bee-Hi, Raked Delta, Swept Delta, Bastille, Swept-Subsonic or Elliptical. Clean low-drag design plus low weight makes for terrific performance with flights up to 1,800 feet! Comes with plastic nose cone, tall (in pattern sheet and colorful recovery chute.

Prod. No.

SPECIFICATIONS Length 12"to 14" (30.5 to 35.5cm) Body Diam. 0.76" (1.9cm) 0.8oz (22.7a) Not-Wh

Skill Level 2

71



RECOMMENDED ENGINES ON PAGE 38 Starfire ALMOST 2 FEET LONG! This long bird is easy to build AWARD WINNING! and fun to fly. A great first This sleek performer set a rocketry project, or one to add chute duration record at the to your fleet. Spirit of America First International Rocket comes complete with plastic Championship Meet in nose cone, die-cut fibre fins, Czechoslovakia, Starfire decals, engine lock, and 90" is designed to fly fast to brightly colored streamer for extreme altitudes then reliable recovery every time. float down very slowly on its big 20" chute. Or Prod. No. 5344 you can snap-on the 12" SPECIFICATIONS: chute for regular flights. Length 22.7" (57.7cm) Body Diam .98" (2.5cm) Comes with a special low-drag plastic nose Net Weight 1.4oz (39.7g) cone, laminar flow Skill Level 1 boat tail, pre-cut fins and decals. Here's a real winner you'll want to add to your your fleet. Prod. No. 5072 SPECIFICATIONS Length 16" (40.6cm) Body Diam. 0.91" (2.3cm) Not Wr. toz (28,4n) Skill Level 2 R&D Tip Use shorter delay engines when flying heavier payloads. **Snipe** SEE-THROUGH PARACHUTES PAYLOAD CAPSULE! Move up to payload rockets with this fantastic performer. Now you can launch insects or inert loads and observe the effects of high acceleration. The payload section is big and a special body reducer is used to keep the power section slim. Kit comes complete with colorful decals, a see-through clear plastic payload section, plastic nose cone, plus a large chute for soft recoveries. Prod. No. 5043 **SPECIFICATIONS** 12.5" (31.8cm) Length Body Diam. 0.76" [1.9cm] Capsule Diam. 0.91" (2.3cm) 0.8502 (24.18) Mat Wr. Skill Level 2

Payloader II

STUDY ACCELERATION EFFECTS!

Sleek single-stage rocket for lofting heavier payloads. A transparent section carries the cargo to higher and higher attitudes as you increase the engine thrust. Stands over 11/2 feet high. Assembles quicky with precut balsa fins, plastic nose cone, clear cargo compartment and custom decals. Colorful parachute returns sealed capsule and rocket to earth safely.

Prod. No. 5080

SPECIFICATIONS
Length 18.5" (47cm)
Body Dism. 1.0" (2.5cm)
Net Wz. 1.2oz (34g)

Skill Level 2

Bandito NO SANDING OR SEALING!

Add this slim hot perfomer to your fleet for almost-out-of-sight flights! The unique wedge-shaped fibre fins (die-cut fibre) help Bandito attain maxium velocity in a hurry! Earth return is via a colorful streamer. Bright chrome trim and custom decals, quick-change engine lock and plastic nose cane complete this

SPECIFICATIONS high performance Length 15.5" (39.4cm Body Diam. 0.76" (1.9cm) 15.5" (39.4cm) 1.50z [42.6g]

Skill Level 2

Prod. No. 5007

Twister

SPECIFICATIONS Length 11" (27.9cm) Body Diam. 0.91" (2.3cm) 0.9oz (25.5a)

SPIN-STABILIZED!

This is one of our excitingly "different" beginners' rockets with flights to over 1,000 feet! On the way up, you'll see spinstabilization in action as Twister tracks straight and true. The canted fins are specially designed to give Twister a rapid rotation. High in the sky you'll see the colored parachute "pop" free to let Twister swing slowly back to earth, Paint Twister_ in bright colors and watch the colors blend and change as it rotates upward. A real "fun" rocket for the beginner. 14 Prod. No. 5002 Skill Level 1

LONG, LONGER, LONGESTI

THEY LOOK SIMILAR, BUT ARE LOADED WITH DIFFERENCES! CHOOSE FROM:

• 3 Sizes • 3 Recovery Systems

• 3 Skills • 3 Engine Mounts

CENTURI'S LONGEST BEGINNER KIT!

A great performer, this sleek long Thunder Hawk is easy to build and impressive in the air with flights to 1,000 feet. Streamer recovery slows the model's descent to a gentle landing. The Thunder Hawk is ideal for beginners and a super quick kit for more advanced rocketeers.

SPECIFICATIONS Length 21.5" (54,6cm) Body Diam. .76" (1,9cm) 10z (28g) Net Wt.

Prod. No. 5338

Skill Level 1



BIG. EASY & IMPRESSIVE

A great demo bird, the long, thin Thunder Bird is recovered by a large 20" parachute, Two-piece body assembles quickly and easily. Add this bid bird

SPECIFICATIONS
Langth 41.75 1106cm
Body Diam. 1.0" (2.5cm)
Net Wt. 2.7ox (77g)

Prod. No. 5339

THE ULTIMATE LONG ROCKET!

Biggest kilt in the Centuri line, Thunder Roc lumbers att the oad under Super-C power. Or, remove the convertible engine mount and fly it with a D engine! Two 16" parachutes bring the big Bird back for another exciting Hight.

Prod. No. 5340

CONTERTIBLE

MINGHUNN-D See Engine

Langth 61.8" (156.2cm) Body Diam. 1.64" (4.2cm)

Centuri

1 2 3 4 5

JPER KITS

Definitely different. Super Kits are out of this world both in appearance and size. These are BIG rockets with special missions. EACH KIT INCLUDES—

- Big 6" x 12" 4-color super detailed decal
 - - · Rocket Rack display stand
 - - · Engine Lock
 - *U.S. Pat. No. 3,719,145

Repair Dock

Solar Cells

SATELLITE

This exotic ship's job is to recover, re-pair and launch earth-circling solar energy collecting satellites. Cruising at over 15,000 mph, Scorpion collects satellites using a magnetic stinger-shaped rudder and stows them in special hull slots for later repair. A (S.S.V.) fleet, Scorpion performs a vital role in conserving the natural resources of earth in

Prod. No. 5307

Augmente Scoops



SCIENCE FLAGSHIP

Rayen is the flagship of the Earth Science Service (E.S.S.), an international organization devoted to sampling and testing the earth's ozone layer. Designed to fly to the limits of the atmosphere and return for a winged landing, Raven's dual bottom scoop takes in air samples for onboard computer analysis. Sleek and fast, Raven employs the recently announced faster-than-light propulsion system.

Prod. No. 5312

SPECIFICATIONS
Length 30.5 (77.5cm)
Length 5.3oz (150g) Skill Level 3

Collector Scoop Details

RECOMMENDED ENGINES LISTED ON PAGE 38.

BIG ON SIZE & PERFORMANCE & FANTASTICALLY DETAILED

UNITED STATES OF AMERICA

R&D TIP

The Rocket Rack: included in every Super Kit is also available separately for displaying your other models. See



PRESIDENTIAL COMMAND POST

Thundering aloft for the first time in 1988, U.S.S. America serves as a Presidential Command Post and operational center. Able to operate in outer space or within the narth's atmosphere, America helps maintain peace on earth as well as in space. Three large nuclear engines plus six ramjets power this advanced technology giant.

Skill Level 3

IN EVERY

SUPER KIT

SUBMARINE

This alien ship was first signted in 1985 and has since been tracked electronically and observed by countless eye witnesses. It's a submarine as well as a spaceship, cruising on either the ocean's surface or plunging to deep depths to escape detection. Its circular wing-plan has sometimes been mistaken for a flying saucer and rumors are that it employs a fuel-less magnetic drive force as yet unknown to us.

Skill Level 3



1 2 3 4 5

 No tools required just white glue! Space-glow alien

in the dark!

& pre-shaped! Fits any launcher!

Sturdy lightweight

fibre construction

surfaces!

emblem decals "glow"

High-detail embossed

All parts pre-colored

ALIEN SCOUTSHIP!

This model UFO really flies! Design based on reported sightings. Watch it rise smoothly off the launch pad and streak to surprising altitudes. As coast phase ends, saucer rolls over and starts an eerie descent, floating softly down on a cushion of air. Lands on sturdy outspread aerial/tripod legs! No chute to pack, just re-engine and go again! Be the first in your neighbor-hood to fly this amazing performer. Great for display too!

Prod. No. 5325

9.125" (23.2cm) 3.5" (8.9cm) 2.402 (689)

Skill Level 2



SCIENCE FICTION KITS INYOUR

Prod. No. 5033

2 FOOT LONG DEEP-SPACE CRUISER!

This interstellar visitor has the look of the future. It is one of our most popular detailed kits that you will be proud to fly or display. Taurus stands over 2 feet tall on the launch pad and thunders aloft to recover gently under a large parachute. Here's what you get: plastic body reducers, extra large molded nose cone, simulated cluster boosters, shiny chrome trim, precut fins, Taurian decals, and illustrated science-fiction story.

SPECIFICATIONS 23.3" (59.2cm)

Level3

RECOMMENDED ENGINES LISTED ON PAGE 38

SPECIFICATIONS

SPACE PROBE!

LASER-X is based on planet Earth and is designed around U.S. technology. Atop the large simulated booster section sits a slim rocket body aimed at the stars. Ultrastable due to extra large booster fins, Laser-X moves smoothly off the launch pad to surprising heights. Pre-cut fins, large chute, body reducer and a big decal sheet loaded with customizing ideas

are all included. Prod. No. 5110

INSPIRED BY NASA'S SPACE STATION!

Suspended in the blackness of space, moving thousands of miles per hour and rotating slowly, Sky-Lab monitors important Earth resources. The space exploration age is here with NASA's flying laboratory. Every detail is included in this spectacular kit. Shiny solar panels, ultra-detailed plastic parts, body wrapper, huge decai sheet, plastic cones and more. Watch the slow lift-off as your Sky-Lab thunders skyward to return gently, suspended by an extra large chute.

5034



SPORT-SCALE KITS THESE LOOK LIKE THE REALTHING! YTY 4 5

R&D Tip

See the Magnum-D Jayhawk on page 31 for the big scale kit of the Jayhawk.

Jayhawk

TARGET DRONE ACTION!

Looks and flys just like the U.S. Navy's AQM-37A missile target drone! High detailing with our big 3-color decal sheet really sets Jayhawk apart, includes pre-cut fibre "wing," "rudder" and forward "canard" fins plus molded plastic nose cone, parachute, and boat tall. Add decal, and Jayhawk is ready for duty.

SPECIFICATIONS Length 12.6" (32cm) Body Diam. 0.91" (2.3cm) Net Wt. 10z (28 4g)

Skill Level 2

Prod. No. 5171

OVER 2 FEET LONG! SLEEK AND QUICK!

Excellent big rocket for the beginner! Over 2 feet long! Excalibur has the sleek lines of a real research rocket yet goes together fast and easy. Features plastic nose cone and pody reducer, die-cut smooth fibre fins and the option to customize the upper portion as a payload carrier. Bright reflective chrome trim, large custom decal and big recovery chute finish of this spectacular hi-flier!

SPECIFICATIONS Length 26.5" (67.3cm) Body Diam. 0,91" (2.3cm) 1.60oz [45.4g]

Prod. No. 5008

Skill Level 1

RECOMMENDED ENGINES LISTED ON PAGE 38

SUPER DETAILED!

Looks just as authentic as a U.S. Navy missile. This kit has everything you need to detail it right down to the access hatches—even the launch attachment lugs resemble a real missile's. Very impressive on the launch pad, Nomad streaks to high altitudes and recovers by parachute. Die-cut fins and body vanes, shiny chrome bands, a big 2-color decal sheet, and engine lock make Nomad a knockout.

SPECIFICATIONS Length 18.0" (45.7cm) Body Diam. 1.0" (2.5cm) Net Wt. 1.75oz (49.6g)

Skill Level 3

Prod. No. 5035

NASA SPACE SHUTTLE

AMERICA'S NEWEST SPACESHIP!

This fun Centuri kit is engineered with the real shuttle's shapes simplified for fast assembly and reliable flights, just like our popular Fighter Fleet rocket-jets!

Bulld the Columbia kit from its all pre-shaped parts, including sturdy die-cut fibre-fins, molded plastic nose cone, cockpit and display nozzles. You easily assemble with white glue and plastic cement, then spray paint it white. Apply the handsome red, blue, black & grey decals from the huge stick-on sheet supplied. Your flight features include an engine lock and big 16" chute for bringing Columbia back gently, posed in realistic horizontal position. Your kit also includes Tech Data and photos of the

real Columbia, plus realistic triple angine nozzles for displaying her between

SPECIFICATIONS Length 11.3" (28.7cm) Body Diam. 1.64" (4.2cm) Net Wt. 2.4502 (68.69)

Skill Level1

Prod. No. 5343

SUPER SCALE KITS EXCITING SCALE 1 3 4 V

Saturn 1R

1/100 SCALE OF FIRST APOLLO MANNED MISSION VEHICLE Apollo 7 rose off the launch pad at

11:03 A.M., October 11, 1968, carrying three astronauts first into blue Florida skies and then the blackness of space. The 10-day flight paved the way for the first moon-circling flight.

Unbelievable details right down to the space capsule plus corrugated body wrapper panels, rocket engine nozzles, and the exact markings of the real ship makes Centuri's Saturn 1B a flying scale masterpiece of man's first reach toward the stars. The model is over 2 feet tall and lifts off beautifully on a 2-engine cluster for a dual chute return. Historical booklet and many pre-molded parts make this one a "must" for every rocketeer.

Prod. No. 5140

Skill Level 5.

· Clustering Report

8


- Historical Brochure
- Engine Lacks



Removable Display Nozzles

SPECIFICATIONS 26.8" (68.1cm) Length Body Diam. 2.62" (6.65cm) 4.45z [124.7g]

DUAL ENGINES! OVER 2 FEET LONG!



D

7

Mercury Redstone *U.S. Pat. No. 3,719,145

Nike

REPLICA OF

NASA WEATHER

easy to build, this

el stands almost 2

Smake

RESEARCH ROCKET

A very high flyer and

perfectly scaled mod-

feet tall with a long

tapered plastic nose

cone. Features unique

tem, large parachute,

baffle ejection* sys-

authentic markings

decal sheet, pre-cut

balsa fins and tech-

nical data sheet.

Build and fly the

Prod. No. 5145

 Lug Mounts • Engine Lock

Skill Level 2

same day!

FIRST U.S. MANNED SPACE FLIGHT ROCKET in 1961, NASA's Freedom 7 with Alan Shepard at the controls flew higher and faster than any American before-116 miles up at over 5,000 mph! Shepard's flight was

15 minutes in duration and covered 303 miles-a "first in space" for the U.S.A.I Centuri's model of this historical flight is a true 1/36th scale, with absolutely accurate details including the Mercury capsule and escape tower molded of tough styrene plastic. Big, slow lift-off looks just like the real thing. Die-cut fins, big 3-color decal sheet, historical data brochure,

dual-chute recovery plus high altitude flights make this historical event come alive again on your launch pad!

Prod. No. 5131

Skill Level 5

- Engine
- Lock
- · Baffle Ejection*
- · Pull Away Lugs

SPECIFICATIONS 29" (73.7cm) Body Diam. 2.04" (5.2cm) Net Wt. 3.7oz (104.9g)

田田 SPECIAL ITEMS: Replacement parts. Mercury Capsule #5477 \$2.50

SPECIFICATIONS

Net Wt

Length 23.7" (60.2cm) Body Diam, 1.64" (4,2cm)

2.3oz (65.2n)

Apollo Capsule #34090 \$1.50

> R&D TIP Easiest way to ge into Super Scale.

ACCURATE 1/10 SCALE! 2 FEET LONG!

STAT

R&D TIP

Use 3 C5-35 engines for high flights. Requires 12V battery and heavy duty launcher (Power Tower, Powr-Control and Heavy Duty Rod.

Or use one MAGNUM-D D12-3 (and a EM-916 mount) for single engine reliability, 12V battery not required, but launcher with heavy duty rod still required.

Prod. No. 5142

Skill Level 5

 Engine Locks Accurate Decals · Hollow Fins

· Clay Weight · Painting Tips

THREE-ENGINE LAUNCH! Tech report included on clustering. Super C engines put the big bird higher than ever!

F-1 Engine Nozzle Bells Are Removable For Flight

All-Plastic Apollo Capsule and Tower

DO O Skill

SCALE SPACE GIANT

THE "ULTIMATE ADVENTURE" IN SCALE FLYING ROCKETRY FOR ALL AGES!

OVER 3% FEET LONG!

Length 43.5" (110.7cm) Body Diam. 3.96" (10.1cm) Net Wt. 9.2oz (260.8g)



America went inter-

dered off the launch

pad on December 21.

Centuri model rocket

detailed flying replica

of the histrocial "man

to the moon" rocket.

This 31/2 ft. giant per-

forms as beautifully as

it looks, using 3-engine

cluster power, coasting

body recovery and one

ever-so-gentle return of

its space capsule. Scaled

blueprints, including num-

Saturn 5 is truly a collec-

erous plastic detailed parts,

in detail from NASA

tors item that every

want to own.

serious rocketeer will

upward to apogee to

deploy 2 chutes for

large chute for an

1968. This famous

is acknowledged as

the world's most

flight of Apollo 8 when the big Saturn 5 thun-

planetary with the

Pre-formed

SPECTACULAR!

12 page historical brochure with many photos included with both Saturns. 23

S



FROM TODAY'S



A modified scale version of the fam
Russian Surface-to-Surface Missile norm
Ally Wed against sire falt. Booster tall section
looks authentic in detail yet flight requires only a
single Clengine for attitudes or over 1,000 feet! Camp
flage the missile in dull groys and bullet, then detail it y
insignia plus authentic markings and you have a beautiful
scale-like high flyer that recovers on its own campullance
parachute. Round out your factical missile fleet with SAM21



Now you can fly a rocket-po model of America's most potent st weapon! The Boeing Cruise Missile is air launched and streaks housands of miles de into enemy territory, flying at tree-top level. The real missile is jet-powered, flys on thin swept wings, air is radar-guided with pin-point targel accuracy, imagine the thrill of launching this very realistic model. Polsed on the launch pad with its wings folded, it streaks straight up to unbelievable heights and floats gently back to earth, swinging from a big 16" chute. Easysto-assemble with a rugged blow-molded plastic body, die-cut plastic wings and fins.

Big 4-color highly detailed decal sheet included, Great for display on the colorful fibre stand included.

FICATIONS

12.7 [3] 3cm 2.6cc [72.7g]

Vel 3



Clockwise from top:

5J Israeli Mirage THE LEGENDR

Prod. No. 5321 SPECIFICATIONS Length 14.1" (35.8cm) Borty Diam. 1" (2.5cm) 6.9" (17.5cm) 2,3oz (65.2g)

Skill Level 3

A French-built Dassault aircraft, the delta-winged Mirage is the mainstay of the Israeli Air Force performing a variety of missions as a fighter/ interceptor and close air support missions. Light-and fast (Mach 2), the 5J can haul a wide variety of ordinance including missiles, bombs, and rockets. Camouflage yours to match the desert and watch it streak almost out-of-sight to return softly by chute.

F-4 Phantom ACE VETERANI

Prod. No. 5319 SPECIFICATIONS Length 14.5" (36.8cm) Body Diam. 1" (2.5cm) 8.5" (21.6cm) Net Wt.

2.3oz (65.2g) Skill Level 3

One of the most versatile fighters in the world, the F-4 is used by the Navy, Marines, and Air Force plus Canada and Great Britain, Extremely fast at Mach 2.2, the F-4 flys as a fighter or bomber and can carry up to 16,000 lbs. of bombs plus "Sidewinder" and Sparrow missiles. Put this one on the pad and get ready for action!

F-15 Eagle HIGH-TECH JET!

Prod. No. 5318 SPECIFICATIONS Length 15.7" (39.9cm) Body Diam. 1" (2.5cm) Span 7.7" (19.6cm) 2.1oz (59.5g) Not Wt.

Skill Level 3

Skill Level 3

The USAF Air Superiority dual-engine fighter that slices through the air at two and one-half times the speed of sound! During flight tests, the F-15 broke all existing world climbing records. It's a large fighter but comparatively light in weight due to new ultra-light space-age metals. All markings are authentic right down to the refueling hatches. Get airborne with this top performer.

F-104 Starfighter PRIDE OF NATOR

Prod. No. 5320 SPECIFICATIONS 15.0" (38.1cm) Body Diam. 1" (2.5cm) 5pan 6.7" (17cm) Net Wr. 2.0oz (56.7g)

Currently in NATO service, the Lockheed F-104 is the world's first operational fighter to sustain a speed of Mach 2. Extremely small and razor-thin wings carry carry two heat-seeking "Sidewinder" missiles. The actual wing span of the real fighter is only 22 feet! Comes with authentic German Air Force markings.

F-16 Fighter NEW SUPER-JET!

Prod. No. 5317 SPECIFICATIONS Langth 15" (38.1cm) Body Diam. 1" (2.5cm) Span 7" (17.8cm) Net Wt. 2.0oz (56.7g) Skill Level 2

The USAF basic Air Combat fighter of the 1980's, F-16 flys over the speed of sound. It's armed with two AIM-9 missiles plus 20mm cannon. The model comes with official USAF markings and guickchange engine lock. Ventral fins provide smooth vertical flights. An easy fly-in-one-afternoon project.

Centuri

rrow

BIG 3-STAGE ACTION! This slim multi-stager meas-

ures over 3 feet long! An

ultra-high performer, Arrow

over 1/2 mile. Single, dual, or

300 streaks to altitudes of

three-stage flights are possible. Large "United States" decal and 1-2-3 fin-decals

detail this big bird. Comes

cut fibre fins, 12" recovery

with long nose cone, pre-

chute, and a payload sec-

tion. Here's real action for

the experienced rocketeer!

SPECIFICATIONS Length 37,7" (95,8cm) Body Diam. 0,91" (2,3cm) Nei Wt. 2,5oz (70,9g)

Sidll Level 4

Conturi's highest flier when launched with C's.

R&D Tip

Prod. No. 5037

EXTRA-HI FLYING MULTI-STAGE KITS

JOIN THE HIGH FLYING FUN-GO MULTI-STAGE!

ACTION GALORE! Watch Centuri's exclusive pass-port staging* in action on all multi-stagers. The next stage is ignited as the expended stage is smoothly released to tumble safely to earth.

*U.S. Pat. No. 3,721,193

calibur 2

LONG & EASY!

A favorite 2-stager with a military look. Forward dorsal fins add stability and flight realism. Complete with body decal sheet, molded cone end and body reducer and a large chute. Watch two smooth stages of thrust push Excalibur 2 high into the blue.

Prod. No. 5175

SPECIFICATIONS. 29.5" (72.4cm) Max. Diam. 0.91" (2.3cm). Net Wt. 2.1az (69.5g)

Skill Level 3

R&D Tip See Flight Manual F:8

Try "Super-C" boosters (C5-0S) for best performance

Stiletto

Long and extremely thin with sharply swept body fins, Stiletto slices upward to reach altitudes of over 1,800 feet! A colorful drogue streamer recovery system helps keep Stiletto "visual" on the long way down as the big booster tumbles safely to earth. Die-cut fins, custom decal, and detailed staging technical report completes this hi-flying package of excitement.

Prod. No. 5031

| SPECIFICATIONS | Length | 18.25" (46.4cm) | Body Diam. | 0.76" (1.9cm) | Net Wt. | 1.1oz (31.2g) |

Skill Level 3

R&D Tip

and trim

booster as

if it were

a B/G.

Hand launch

THE BOOSTER GLIDES! A good one to get started in staging and a hi-filer too-over 1,600 feet! Unique booster has extra-large fins, for a sweeping glide recovery. Comes with plastic nose cone. large chute.

Proul. No. 5036

15" (38cm) Body Dlam 0.76" (1.9cm) Level 5 Net Wt. 1.20z (34g)

Top stages of all Centuri multi-stages may be flown alone as regular model rockets.

RECOMMENDED ENGINES LISTED ON PAGE 38

3 FEET LONG! Get up high with this one! Poised skyward on the launch pad this long, slender rocket flys as fast as it looks. Colored plastic body reducer and nose cone, big decal sheet, exclusive baffle/chute ejection* (no chute wadding required) and parachute recovery makes Long Tom extra easy to build and

Prod. No. 5064

fun to fly.

SPECIFICATIONS. Length 35,5" (90,2cm) Body Diam, 1,34" (3,4cm) 30z (R5g).

Skill Level 4



*U.S. Pat. No. 3,719,145









MAGNUM-D. Skill Level 2 Prod. No. 5341 SLEEK & SWIFT FLYER! You and your friends will marvel at how fast the sleek Hornet moves off the pad under Magnum-D power! Easy to build, the Hornet makes an excellent first "D" kit. Plastic nose cone, snappy decal, pre-cut balsa fins and long 90" streamer recovery make Hornet fun to build and fly. Insert the easily assembled D-convertible

1 2 3 4 5

BONUS PACK KITS

1 2 3 4 5

MAGNUM-D.

SR-71 Blackbird

The SR-71 is the Air Force's long-range advanced strategic reconnaissance aircraft capable of flying above 80,000 feet at 3 times the speed of sound! It carries a variety of advanced observation equipment which can survey 30 miles wice and 2,000 miles long in one hour. Centuri's sport-scale model is D-convertible. Includes five large molded plastic parts, embossed body panels, balsa wings and rudders and parachute recovery. Realistic decal sheet lets you finish the model in authentic Air Force insignia and markings.

Length 27.5" (69.8cm) Body Diam. 1.64" (4.2cm) Net Weight 6.6cz (187g)

Skill Level 3 Prod. No. 5349

CONVERTIBLE



Includes Display Stand Kit

MAGNUM-D...

U.S. NAVY CRUISE MISSILE

The Tomahawk, developed by General Dynamics is designed to be launched from a variety of vehicles, including submarines and trucks, then streak over enemy terrain at tree-top level, under radar surveillance, to its target. Centuri's sport-scale model of the Tomahawk features die-cut balsa fins and large molded nose and tall cones. Huge decal sheet makes this red, white & blue beauty sparkle on the realistic display stand included. Tomahawk includes parachute recovery and D-convertible engine mount.



Length 22.75" (57.8cm) Prod. No. 5352 Body Diam, 2.2" (5.8cm) Prod. No. 5352 Net Weight 3.6oz (102g)

EE ENGINES!

ONE INCLUDED AT NO EXTRA CHARGE!

RECOMMENDED ENGINES LISTED ON PAGE 38



STRATEGIC TROOP CARRIER

The Spacemaster is the workhorse of space transports in the near future. An updated version of the smaller and earlier "Galaxy", the Spacemaster can trans-port up to 100 men and equipment to distances in excess of 4 million miles without stopping for refueling, Centuri's model is nearly two feet long, and features balsa fins, plastic nose cone, quick-release engine mount and big two-color decals. Flights over 600 feet with 12" parachute recovery.

Skill Level 3 Prod. No. 5348

OFFER MAY END WITHOUT NOTICE, ACT NOW!

GROWTH! ROCKETRY EXPLORATION

Designer's Special

3 #7 Assorted

3 #8 Balsa & 2 #10 Plastic

OVER BODY TUBES: 3 #7 Tubes

3 #8 Tubes

1 Plastic Capsule PARTS!

FINS: 1 Fin Pattern Sheet 6 Balsa Fin Sheets

ENGINE SECTION 3 Thrust Rings

5 Engine Mounts PARACHUTES:

3 12" Chutes 3 16" Chutes 2 20" Chutes

MISCELLANEOUS: 1 #8 Connector

2 Sheets Tape Discs 1 Roll Shroud Line 8 Elastic Shock Cords

8 Shock Cord Fasteners 8 Launch Lugs

1 Flag Decal Sheet

3 Screw Eyes 1 Rocket Designer's

Manual

Prod. No. 5458

Build 8 big rockets with this fantastic assortment of parts. Great for groups and clubs or the serious designer

wants to go higher and faster.



Power System Outfit

Flight YOUR BEST ENGINE Packs


for clubs

and groups! Bargain-priced packs of all supplies needed for 12 exciting flights. Each includes 12 engines, 12 Sure-Shot II igniters and instructions at about a 15% savings compared to standard 3-packs. BONUS! Includes SPW-19 chute wadding at no extra cost!

> A8-5 FLIGHT PACK-For Viking #5445 Engines: (12) A8-5

SPORT FLIGHT PACK—Popular Types #5446 Engines: (3) A8-3, (3) B6-4, (3) C6-5, (2) B6-6, (1) C6-7

"C" FLIGHT PACK-Ass't of "C" Types #5447 Engines: (2) C6-3, (4) C6-5, (3) C6-7,



featuring all pre-shaped & pre-colored parts, fibre fins with design options, decals, engine spacer and reliable streamer recovery, Viking is the hobby's lowest priced rocket with a real recovery system. Great for small groups or as a supplement to 12-packs. Engines not included.

ATTENTION, GROUP LEADERS: For volume pur chasing info and sample Leeder's Guide, write on your organizations letterhead to: Centuri/Viking,

your organizations letterhead to: Century Dept. 829, Box 1988, Phoenix, AZ 85001

Prod. No. 5440

SPECIFICATIONS Length 12" (30.5cm) Body Diam. .76" (1.9cm) Net Weight 0.8oz (22.7g)

Skill Level 1

- LOWEST-COST ROCKET PROJECT
- ASSEMBLED IN SINGLE SESSION
- MOTIVATING
 SAFE
- NO EXPERIENCE REQUIRED

VIKING 12-PACK-Contains parts for 12 Viking rockets, 12 assembly instructions and the Viking Leader's Guide. The Guide is a brief and comprehensive introduction to model rocketry; it explains running the building and flying sessions, 3 fun-flying contests

and how to cut costs on obtaining a launch system. Buying Vikings In 12-packs costs even less per rocket than by the single kit. Engines not included.

Prod. No. 5441

Uses A8-5 Flight Pack (see above) for flying sessions.



Century MODEL ROCKET, ENGINES MICHURA

All Centuri ENERJET and MAGNUM-D engines are manufactured by automatic equipment to exacting standards. Designed for one-time use; not reloadable or reusable. The N.A.R. emblem on every engine means they are regularly tested and meet all safety standards. We test 3 out of every 100 engines. We strive to provide the highest quality engines available.



HOW A ROCKET It's called the **ENGINE WORKS**



MOVEMENT

Action-Reaction Principle. At rest the rocket has equal pressure on all sides. After Ignition the gases escape through the nozzle. This causes a pressure embalance and the engine is forced in the opposite direction from the nozzle. This force is called thrust.



IGNITION TO EJECTION

Battery-operated launch system heats igniter in engine nozzle-propellant starts almost instantly.



Propellant consumed to develop maximum thrust. Reaction principle causes lift-off & acceleration to coast phase.



Rocket coasts upward after propellant expended. Delay charge continues until rocket reaches peak altitude.



At end of delay, the ejection charge is ignited and gases activate the recovery system. Normally the expended engine returns with the rocket.



ENGINE CLASSIFICATIONS

All Centuri engines are coded so the model rocketeer can easily determine which engine should be used in the rocket. The code consists of three parts as described in next column.

ENGINE CODE EXPLANATION

The letter is total impulse.* A higher class letter means more power; B is double the power of A and C is double the power of B, etc.

The first number is average thrust. This indicates how the average power is delivered. The higher the number, the higher the average thrust.

The last number is the delay code in seconds. This is the time duration from the end of thrust to the activation of the election charge.

1/2A6-4

RED:



LABEL COLOR

GREEN: Best delay for most single-stage rockets.

PURPLE: A longer delay usually for multi-stagers or high flying lightweight single-stagers.

> Has no delay (0). For lower stages of multi-stage rockets. Never use a booster

engine in single-stage rocket except in kits where specified.

*TOTAL IMPULSE CHART

Engine	Total Impulse in	Total Impulse in
Type	Newton-Seconds	Pound-Seconds
AAABCD	0.626 to 1.25 1.26 to 2.50 2.51 to 5.00 5.01 to 10.00 10.01 to 20.00	0.15 to 0.28 0.29 to 0.56 0.57 to 1.12 1.13 to 2.24 2.25 to 5.00

ENGINE SIZE

Centuri's Enerjet and Super-C engines are standard size; they fit most rockets, Magnum-D are larger in diameter and only fit rockets with D-size engine mounts, Using D engines requires extra precautions: glue-reinforced engine mount and fin joints, minimum balsa fin thickness of 3/32", and extra large launch area.






Several Centuri kits include this handy "Plug 'n Go" mount for switching from standard-size to D-size, and back.

SELECTING ENGINES

Big rockets need much more thrust to get them off the pad, and a shorter time delay. The drawing below compares a large and a small rocket with different time delays.




When flying rockets built from Centuri kits, always select engines listed in the Recommended Engine chart on the next page. These have been chosen to give a variety of power while keeping delay times correct for reliable performance.

When choosing the engine for your rocket, consider the launch field size. The greater the power the higher the bird will go and the greater the chance that you will lose it.

In general, small rockets use engines with long time delays and big rockets use short delays. For rockets of your own design find a similar Centuri kit and use the engine recommended for it.

THRUST-TIME CURVE




The thrust builds to a high level quickly and drops off to a sustaining thrust. The high thrust lifts the rocket off. The sustaining thrust allows the rocket to gradually speed up.

*Ported engines have deeper nozzles and produce higher initial thrust for heavy models.

For SEE NEXT PAGE
Spees & Drices 400 ft. Altitude

The best launch site is one with side dimensions of at least one-quarter the estimated peak altitude of your rocket. Pace off the area to make sure! And don't forget to allow for wind-drift by locating up-wind a ways.



RULES FOR EXCITING FLIGHTS

- 1. Launch in areas where you're sure there is no hazard to persons or property. This includes crops or grass that could burn if exposed to hot exhaust gases.
- 2. Do not fly near power or telephone lines, highways, hi-rise buildings or other obstacles such as radio towers or air fields. Watch out for "Rocket Eating" trees!
- 3. Pay attention during your launches to people, aircraft, cars or equipment moving into the launch/recovery area.
- 4. Make a short count-down prior to each launch, to alert spectators.
- 5. Do not fire your rocket at an angle of more than 30 degrees from the
- 6. Keep a clear circle at least 20 feet In diameter around your launch
- 7. Do not hook up or disconnect the ignition leads until you have removed the safety key. Always keep the key with you so that launching is totally under YOUR control!

RECOMMEND

Centuri BIG ENGINES STANDARD SIZE ENGINES C D Kit Index (Products other than kits are indexed on page 62) Centuri rocket kit name 0 0 5039 Argus 10 5037 Arrow-300 28 5047 Astro-1 11 0 5007 Bandito 14 5036 Black Widow . 5343 Columbia Sp. Sh. 21 25 5330 Cruise Missile 5312 E.S.S. Raven 16 5008 Excalibur 20 . 5175 Excalibur 2 29 0 5319 F-4 Phantom 26 . 0 5318 F-15 Eagle 26 . 5317 F-16 Fighter 27 0 5320 F-104 Starfighter 27 0 0 . . 5321 5J Israeli Mirage 26 . 5325 Flying Saucer 18 5333 Gabriel 24 12 9 0 5011 Groove Tube . . CONTERTIBLE 5341 Hornet (Magnum) 31 0 . 12 . 5091 Javelin 31 5342 Jayhawk 20 5171 Jayhawk (Standard) 5110 Luser X 19 . 5001 Lil' Herc 13 5064 Long Tom 28 の方 IM . . 5131 Merc. Redstone 22 'RR" engines . . 11 5005 Micron . for higher 5041 Moonraker 12 initial thrust 5145 Nike Smoke 22 0 5035 Nomad 21 in larger . . 0 5080 Payloader II 14 0 . models! 10 . 9 . 5407 Phoenix Bird 5346 Red-Eye Satellite 2 25 . 0 . 5332 Sam-3 0 2 5345 Satellite Killer . . 22 5140 Saturn 1B 5142 Saturn V 23 . . -5173 Screaming Eagle 10 . 25 . . 5331 Sea Killer 0 11 . 5040 Sky Devil 5034 Sky-Lab 19 0 . 5043 Snipe Hunter 13 33 . . 5348 Spacemaster . 5066 Space Shuttle (Orig.) 30 13 . . 5344 Spirit of America CONFERTIBLE . 5349 SR-71 Blackbird 33 0 . 5077 SST Shuttle 30 . 5307 S.S.V. Scorpion 16 5072 Starfire 13 29 0 1 0 5031 Stiletto 5033 Taurus 19 0 8 - 8 5339 Thunder Bird 15 . 5338 Thunder Hawk 15 6 CONTERTIBLE 0 5340 Thundar Roc 15 CONFERMBLE . 5352 Tomahawk 32 14 @ 5002 Twister 5308 U.F.O. Invader 17 . 5310 U.S.S. America 17 . . 0 5440 Viking 11835

* Star indicates this is a BOOSTER engine (no ejection charge).

conferme indicates this kit includes parts for flying with standard size or with big engines.

M indicates this standard engine kit may instead be built with a D engine mount for D-power (easily converts back with EM-9). See page 46.

Safety & Contest Certified



ASSOCIATION OF ROCKETRY

/MINGNUM-D

Centuri Enerjet and Magnum-D engines are sold in boxes with three engines of one type. Sure-Shot II igniters and complete operating instructions are included.

Total Average Thrust Delay France Recom. Max. 1

	Prod. Number	Туре		Impulse N-sec.	Thrust Newtons	Duration Seconds	Time ±15% Seconds	Weight Ounces	Lift-Off Wt. (with engines) Ounces	Single Stage	Booster	Label Color
	<i>ei</i>	IIH.		BU	8	design	ed to fit	all regu	IGINES—Cer lar model ro 90" diam. (1	ckets.	Size is	e engine 2.75"
	5550	%A6-2		1.25	6.23	.20	2	.53	2.5	X		Green
	5552	1/2A6-4		1.25	6.23	.20	4	.54	1.5	X		Purple
	5558	A8-0		2.50	7.81	.32	0	.51	4.5		X	Red
	5560	A8-3		2.50	7.81	.32	3	.57	5.0	X	- 6	Green
	5562	A8-5		2.50	7.81	.32	5	.62	2.5	х		Purple
	5564	B4-2		5.00	4.15	1.20	2	.70	5.0	×		Green
	5566	B4-4	- 11	5.00	4.15	1.20	4	.74	4.5	X		Green
	5568	B4-6		5.00	4.15	1.20	6	.78	3.5	×		Purple
	5570	B6-0		5.00	6.00	.83	0	.58	5.0		X	Red
	5572	B6-4		5.00	6.00	.83	4	.78	5.0	X		Green
	5574	B6-6		5.00	6.00	,83	6	.71	3.0	X		Purple
A	5547	B8-3		5.00	8.33	.60	3	.64	6.0	X		Green
7	5548	B8-5		5.00	8.33	.60	5	.68	5.0	×		Green
	5549	B8-7		5.00	8.33	.60	7	.72	2.5	×		Purple
	5576	B14-0*	4	5.00	14.23	.35	0	.61	6.5	1	X	Red
	5578	B14-5*		5.00	14.23	.35	5	.69	6.5	X		Green
	5580	B14-7*		5.00	14.23	.35	7	.73	4.0	×		Purple
	5582	C6-0		10.00	5.86	1.70	0	.80	6.0		X	Red
	5584	C6-3		10.00	5.86	1.70	3	.88	6.0	×		Green
	5586	C6-5		10.00	5.86	1.70	5	.91	5.0	×		Green
	5588	C6-7		10.00	5.86	1.70	7	.95	3.5	X		Purple
	5590	C5-0S†		10.00	4.76	2.10	0	.82	8.0	X	×	Red
	5592	C5-3S†		10.00	4.76	2.10	3	.90	8.0	X		Green

*These are ported (B8's are semi-ported) | †These are "Super-C" engines

BIG ENGINES-"Fly Bigger-Higher-Faster" Powerful engines recommended for experienced rocketeers. Size is 2.75" long (6.99cm) and 0.945" diam. (2.4cm).

	D12-0 D12-3 D12-5	20.00	11.76 11.76 11.76	100000	0 3 5	1.44 1.49 1.52	14.0 14.0 10.0	×	×	Red Green Green
5599	D12-7	20.00		11227/12	7	1.55	8.0	×		Purple

Energet and Sure-Shot are registered trademarks of Centuri Engineering Co., Inc.

Two Styles-Each with its features and advantages. Choose type best for you.

"SURE-SHOT" II Two Quantities! | 6-PACK 12-PACK:

- · Saves Battery
- Pre-assembled
- · Best for "D's" Sensitive
- Fastest • Ignition

#5690 6 Igniters

SAVE 15% WITH 12-PACK **BONUS** COSTS LESS THAN TWO 6 PACKS !

#5692

12 Igniters

ORIGINAL"SURE-SHOT

- High Reliability

 Hottest Ignition ▲ • Best for Clusters S. U.S. Patent No.
 - 3,422,763 • Proven Design

#5836 12 Igniters



Selected Eneriet engines are available at reduced cost in quantities of 12. See "Flight Packs" on

page 34.







Shock Cord Set of 3

This super strong elastic cord connects recovery chute or streamer to the rocket body. Use SC-18 cord with birds powered by 1/2A thru C engines.

SC-18 Shock Cord, Prod. No. 5894

Tape Discs

Attach streamer or parachute shroud lines permanently with these superstick discs! 36 discs per sheet.

TD-35 Discs Prod. No. 5890

Chute Wadding

Most flame-resistant: All purpose, easy to use; just count number of sheets. Enough for 25 #7 rockets.

SPW-19 Crepe Wadding Prod. No. 5846

COTTON TYPE

Flame-resistant and soft! Also recommended for rocket diameters above 2 inches, enough for 20 flights in #7 rockets.

PW-19 Cotton Wadding Prod. No. 5842

Parachute Powder

Keep that chute "POPPING" SMOOTHLY" with Centuri's special chute powder lubricant. Sprinkle it on during folding and look for a small dust cloud at apogee. It really works!

PDR-17 Chute Powder Prod. No. 5880 2 oz.

shaker

can

Plastic Drag Streamer Set of 3

For soft-recovery of rockets weighting up to one onuce. A bright day-glo orange, these streamers are over 1" wide & 36" long! They eject the same as a chute and are highly visible for those almost-outof-sight flights! Includes tape discs plus instructions. Net weight is .09 ounces.

RS-20 Streamers Prod. No. 5914

R&D TID See Flight Manual F:5A

RECOVERY **DEVICES ARE** THE MOST BASIC OF OUR **CUSTOM PARTS** FOR DESIGNING YOUR OWN ROCKETS, MORE PARTS ARE EXPLAINED ON THE NEXT

3 PAGES.

Plastic Nose Cone -

Payload -Tube



Shock Cord



Fastener

Body Tube-

Launch Lug

Fins (From Sheet Balsa)

> Thrust Ring*

> > Coupler & Discs Engine Tube

*These parts make an engine mount

Engine Lock

CUSTOM MODELROCKET PARTS

see Designers Special (Pg. 32).

Selecting Parts

For simplicity, all parts numbers are based on seven body diameters. That is, a No. 8 body tube fits a No. 8 nose cone, No. 8 engine mount, No. 8 connector, etc. Use the body tube guide circles at left to determine what sizes you need. A rocket fin guide (4 or 3 fin configuration) template is also included. Illustrations

BALSA TUBE CONNECTORS

Solid balsa plugs for connecting

payload sections to body tubes

when a solid wall is needed.

TUBE CONNECTOR

Prod. No.

6270

6274

6276

6440

DIAMETERS Inside Outside #5 SERIES .515" .543" **#7 SERIES** .715" 759" #8 SERIES 865" .908" #10 SERIES 1.000" 1.040" #13 SERIES 1,300" 1.340" #16 SERIES 1.600" 1.640" #20 SERIES 2.000" 2.040"

R&D Tip

Super

section to see

Rack

in use.

Kit

of the parts are not necessarily to scale. More information on designing and building your own rocket is contained in the Flight Manual section of this catalog. Always order parts by product number. number and description. Example: 6002 ST-518

Size Length Price

7.00

10/4"

11/2"


134"

#10

#13


#16

Nose Cones



Balsa nose cones are machined from high grade light-weight balsa lumber. They require "sand and seal" finishing before painting, and a screw eye (not included) for shock cord attachment.

Prod. No.	Desc.	Size	Length	Price
6130 6136	BC-54 BC-74	#5 #7	2.4"	
6140 6148 6156	BC-83 BC-101 BC-135	#8 #10 #13	3.2" 2.0" 3.9"	
6160 6164	BC-162 BC-200	#16 #20	3.4"	




Reducers

*Assemble using

plastic glue

Reducers connect body tubes of different diameters. They can be solid (balsa) or hollow (plastic—paper). You would want a hollow reducer where ejection gases must pass through to activate the recovery system.

Illustrations are for shape comparison only. They are NOT in scale to each other.



BALSA REDUCERS

Prod. No.	Desc.	Fits	Price
6352	BR-58	5 to 8	
6354	BR-510	5 to 10	
6358	BR-710	7 to 10	
6360	BR-713	7 to 13	
6362	BR-810	8 to 10	
6364	BR-816	8 to 16	
6366	BR-1013	10 to 13	
6368	BR-1016	10 to 16	



ice
ie

Rocket Rack

Dotted line

series tube:

used mostly

for Magnum-D engine mounts.

indicates #9

This simple-to-build rocket display can be used for display or storage of your rocket. It's super-easy to assemble using pre-cut colored fibre parts and white glue. Fits nearly all rockets.

Airframe Parts

BODY TUBES

This is the tubing that forms the rocket body. Use the fin and body tube guide above to determine the correct sizing.



Prod. No.	Desc.	Size	Length	Price
6002	ST-518	#5	18"	
6004	ST-718	#7	18"	
6006	ST-818	#8	18"	
6008	ST-1018	#10	18"	
6010	ST-1318	#13	18"	
6012	ST-1618	#16	18"	
6014	ST-2018	#20	18"	

HOLLOW TUBE COUPLERS

Desc.

BTC-7

BTC-8

BTC-10

BTC-13

Great for multi-staging connections & cutting guides for body tubing. Joins equal diameter tubes. Extremely strong.

HTC-20






STANDARD TUBING COUPLER USAGE	PART NO. HTC-7CDH*

Prod. No.	Desc.	Size	Length	Price	
6420	HTC-5	#5	3/4"		
6422	HTC-7A	#7	1"		
6426	*HTC-7CDH	#7	Staging		
			Coupler		
6428	HTC-8	#8	1"		
6430	HTC-10	#10	1"		
6434	HTC-13	#13	1.5"		
6438	HTC-16	#16	1.75"		

#20 1.75"

PLASTIC NOSE CONES




Plastic nose cones are precision-molded in a wide variety of shapes and sizes. Most have bases with lugs (or eyelets) for attaching shock cords. Plastic cones are ready-to-use in bright colors. May be painted with enamel.

Prod. No.	Desc.	Size	Length	Price
6202	PNC-51	#5	1.0"	
6204	PNC-54	#5	2.2"	
6210	PNC-70	#7	1.5"	
6214	PNC-76	#7	3.0"	
6220	PNC-89	#8	4.6"	
6226	PNC-102	#10	4.3"	
6227	PNC-103	#10	4.1"	
6228	PNC-106	#10	4.5"	
6232	PNC-132	#13	2.7"	
6236	PNC-160	#16	2.5"	
6240	PNC-167	#16	9.3"	
6244	PNC-231	#20	3.2"	

Engine Mounts

These mounts hold and center the rocket engine in the "airframe" body tube. They can be adapted to #8, 9, 10, 13, 16, & 20 body tube sizes. You get everything you need including centering discs, engine mount tube, thrust ring and sleeve tube.




STANDARD MOU	INTS	
Prod. No. Desc.	Fits	Price
6052 EM-8 6060 EM-10A	#8 #10	
6064 EM-13 6068 EM-16	#13 #16	
6072 EM-20	#20	
The state of the s	1	3
EM-8	0	
		EM-16
EM-10	1	
	0	EM-20
EM-13	4	WINDES FIRE Z
MAGNUM	DI	NCLUDES FREE ENGINE LOCKS!


See chart on page 38 for kit application. EM-9 converts D's back to

6055	EM-9	#9
6056	EM-913	#13
6057	EM-916	#16
6058	EM-920	#20

standard engine size.



EM-913



EM-920

Miscellaneous

THRUST RINGS

These featherweight fibre rings are 3/8" long. Used as forward engine stop when glued into any #7 series body tube. (6 ea.)

Prod. No. Desc. Price 5966 TR-7

CENTERING RINGS

These rings center the engine tube (#7) in #8 & #10 body tubes. (6 ea.)

Prod. No. Desc.



LAUNCH

LUG

5974 **ENGINE LOCKS**

5970

Includes mylar holding ring and steel lock strip. Keeps engine firmly in place in flight & during ejection. (3 ea.)


CR-8

CR-10

Prod. No. Desc. 5980 EL-1



Slender tube glued to side of the rocket. The launch rod passes thru to guide the rocket during lift-off. (6 ea.)





DECALS

While nearly all Centuri rocket kits have their own decals, these at right are ideal for taking your kit one step further. The sheets are large (approx. 4" x 10") and made in two. three and four rich colors.



DC-3 Military Insignias 36607



DC-35 U.S. Flags 36629



All parts on this page include Illustrated Instructions for their use. Look for packages like these.

Centuri

BUILD AND FLY UP TO SEVEN ROCKET

Here's the biggest and by far the most Rockst outfit beginner and the more about lence multi-staging* and move into the exciting world of engine clustering with this fascinating flying rocket science set. With Rocketry Exploration you'll fly higher and faster than ever before. This one-ofa-kind outfit is built around a modular design concept where each rocket is adaptable to

E OUTFIT thrust modes, including our exclusive Plug-N-Go angina mounts that are field-interchangeable for either double engine (clustered) thrust, Body lube

sizes let you move at a simpli-

fied pace into new realms of rocket flight experiences. Construction is simple and each taunch is loaded with anticipation of expected results. Rocketry Exploration-never before has so much both the beginher and advanced rocketeer.

Prod. No. 5200



THE COMPLETE MODEL ROCKET EXPERIENCE!

Single Stage . Duration . Altitude . Staging . Payload . Cluster

NINE EXCITING FLIGHT PROGRAMS!



24 Pages Rocketry Theory 7 Project Guides Rocket History Kit Instructions Loaded with Photos









*U.S. Pat. No. 3,721,193

Centuri PUBLICATIONS

The "Basics of Model Rocketry' at lower right is a simple Introduction with enough info

to give you a good start in competition. Well illustrated, it includes color photos and two complete plans. The author is a professional writer, skilled rocketeer and swell fellow.



The new Centuri Club Guide is filled with useful information about rocket clubs. Topics covered include: how to organize. running a club range, publicity and growth, club activities, publishing a newsletter, funding and working with authorities. Rocketeers starting their own rocket club, as well as established clubs, will find solid help in this manual. Indispensible for teachers and youth leaders and all club libraries. 28 pgs. 53 illustrations.

Prod. No. 81896

POWER SYSTEM HANDBOOK



Seven exciting rocket projects with historical info, flight procedures. engines and construction. 200 illustrations, 24 pages.

Prod. No. 81527 clu

DESIGN MANUAL



Loaded with tips on building "own design" including payloaders, boost and high altitude, 200 illustrations, 32 pages.

Prod. No. 81899

ROCKETEER'S GUIDEBOOK



The good basic reference for all rocketeers. Info from "A to Z." Richly illustrated with charts & photos. 36 pages.

Prod. No. 81900

EDUCATOR'S GUIDE



REGULAR PUBS

Teacher's guide for rocketry in the classroom. Includes knowledge tests and suggested curriculum. 64 pages.

Prod. No. 81916

SPECIAL ITEMS(Rt)

TECH INFO REPORTS



Everything you need to know about Rocket Stability (TIR-30). Center of Pressure (TIR-33), and Altitude Performance (TIR-100).

- TIR-30 (16 pages) Prod. No. 81903
- TIR-33 (36 pages) Prod. No. 81904
- TIR-100 (40 pages) Prod. No. 81906

This chart shows which Centuri publications to use for specific information. The "F" numbers and subjects are all in the Flight Manual. The starred entries indicate that subject is covered in extra detail in that specific publication.

* . 0 * * . . . * * . . * * * * * * . . * * . . 0 0

.

* *

0 * 0 * 0 0 0

SPECIAL ITEMS

BASICS OF MOD. ROCK. by D.R. Pratt. Very complete introduction. Large size, 110 illus. #5478



E.T.V. MODEL BOOK Build and fly space & Special Effects models. 192 pgs. 149 illus.

Basics of Model Rocketry

TIR-25 SUPER-C Engine Tech Rpt. #907,294 (send stamped env.)

TIR-52 CLUSTERING Tech Report #81905 (free in Saturns)

MINI-MANUAL: Overview of the hobby #81915 (free in outfits)

YOUR OFFICIAL MODEL ROCKETRY GUIDE

FLIGHT

in your own model rocketry program. The "F" numbers in the publication

MANUAL

AN 8-PAGE BONUS!

Centuri

INTRODUCTION

The following is a planned rocketry program which will introduce you to the varied aspects. of this exciting hobby. Each step adds new skills and activities. By the time you complete each step of the program, you will be an experlenced rocketeer in all the major areas of model rocketry.

BASIC SINGLE STAGE KITS:*

Build and launch several single-stage kits to learn basic rocket construction and recovery devices. These are good choices:

Screaming Eagle . . . Parachute

Astro-1, Javelin . . . Parachute, balsa parts 3 P.S. X-7 Parachute, balsa parts

4 Lil' Herc Tumble 5 Micron Streamer

6 Flying Saucer Drag Recovery

ROCKET STABILITY: (F:7)

Read Centuri's TIR-30 technical report to learn "What makes a rocket fly straight," "What is the Center of Pressure," and "How to test for stability."

PAYLOAD LAUNCHING:*

Launch a standard payload weight to determine the effects of weight on model rocket flight. Use payload models such as:

Snipe Hunter Payloader II Power System X-16

MULTI-STAGING: * (F:8)

Build and launch one of the multi-stage kits to learn techniques of stage coupling, separation and and upper-stage ignition, such as:

Black Widow Arrow 300

Excalibur Long Tom Stiletto

Power System X-7

CALCULATING ROCKET ALTITUDE:

Read Centuri TIR-100 technical report to learn how to figure the altitude of your models before you fly them. Learn how to select the proper delay time for different models.

BOOST GLIDERS: (F:9)

Build and fly one of the following models to learn the basics of rocket gliders: Space Shuttle SST Shuttle Mini Dactyl

CLUSTER IGNITION: * (F:10)

Build and fly multiple-engine rockets to learn the techniques involved in flying cluster models. Saturn V Saturn 1B Power System X-16

*All the elements of the program marked with an asterisk can be found in the Centuri Rocketry Exploration Power System Outfit.

CUSTOM DESIGNING:

Use the Centuri Design Manual and Parts Assortments to create an original design.

TOOLS & MATERIALS

Work Choose a work area that is well-lighted, Area: ventilated and is in an out-of-the-way place. It should have a smooth, flat surface and enough room for you to work.

Glue: Different glues are for different jobs. White glues or aliphatic resin glues (such as Wilhold glue) are for gluing porous surfaces together (wood and paper). Plastic resin and liquid plastic glue are for plastic, although GLÜE they work in different ways. Plastic resin actually forms a link of plastic between the two parts while liquid plastic glue "welds" the two parts together. Sometimes you may

even use epoxy or the super-strong cyano-acrylate glues, but be careful! Once these strong glues are applied they are tough to get off.

Knife: A modeling knife is an invaluable tool. A good knife like an X-Acto knife will come in very handy, but keep a good, sharp blade in it.

This blade style is best.

Scissors: You will need scissors to cut out paper parts and shroud lines. Get a good pair and keep them in good working order.

Sandpaper: A selection of different grits of sandpaper will help you do a good job



in shaping balsa parts like fins and wings, Grits of 120 to 300 are the most commonly used.

Brushes: Get a large and small brush of good quality so that the bristles don't fall out after use.

> #1 or 2 artist > 1/4" to 1/2"

Body tubes are made of paper with a Tubes: special glassine coating that gives them a smooth surface and makes them stronger. Many modelers will fill the spiral seam lines in body tubes by painting them with sanding sealer or balsa fillercoat.

48

Balsa is used to make nose cones, trans-Balsa: ition sections and fins. Balsa grain needs to be filled with an appropriate filler, such as Hobby Poxy or Fillercoat.

Plastic: Plastic parts may include nose cones. fins and even the entire body of the rocket. Plastic is lightweight, strong and easily cut and shaped.

Fibre: Fibre-board, a kind of thick cardboard can be used to make fins. Almost as strong as balsa, it does not need to be finished because it has a smooth surface which can be painted as is. Edges may need a glue seal.




A. FINS

Select a fin shape and draw it on to a piece of card stock to make a fin template. Cut out the template and trace the pattern on to the balsa sheet, making certain the grain in the balsa runs toward the side of the fin which will be glued to the rocket (root edge).

Balsa is soft and easy to cut, but a few basic rules must be followed to get consistently good results. Always use a metal straight edge as a cutting guide and always use a sharp knife. Hold the knife straight and cut in several light passes. This results in a neater cut with less dulling of the blade. Hold knife as shown for best results.



Before attaching fins to the rocket, sand all fins to the proper shape. Place them together and even up the edges with a sanding block or by running them over a sheet of sandpaper held flat on your work surface. Lightly sand the surface of the fins and round the leading and trailing edges.



Extend the lines parallel with the long axis of the body tube by placing the tube against a door jamb, the lip of a drawer, or other material which has parallel sides and a thickness of at least 1/2 the body diameter. Extend the lines you marked on the tube the full length of the tube with a pencil.



When gluing fins to the body tube, whether they are balsa or fibre, it is a good idea to get a good strong glue joint. This is done by using a technique called "pre-gluing." Apply a line of glue to the root edge of a fin and place it on the tube, aligning it properly. Now remove the fin from the tube and allow the glue to dry slightly, rucen until it is "tacky!" Apply another line of glue and replace the fin on the body tube. Allow the glue to dry and you'll find you have a very strong and durable joint.

Always check the alignment of the fins as they are drying to be sure you don't glue the fins on crooked. Once all the fins have been glued in place and the glue has dried, you should add glue fillets to all joints to make them extra strong. Apply glue along the joint between the body tube

and the fin, on each side of the fin, and smooth into a fillet with your finger, as shown at right. Support the rocket so the glue won't run while it dries.




B. ENGINE MOUNTS

There are basically two types of engine mounts, shown below. One uses two solid rings which hold the engine tube in place, while the other uses two thinner cardboard rings supported by a stage coupler tube. Both are effective engine mounts. It is usually a good idea to use an engine lock wherever possible because this means you can change engines quickly without taping for a tight fit. You can add an engine lock to any engine mount used in a size 10 tube or larger by simply cutting a small slot in the engine tube below the thrust ring to accomodate the engine lock. Also cut a slit in the lower ring. The upper ring will serve to hold the lock in place. You may want to use a mylar lock ring for the purpose as shown. These are supplied in Centuri engine lock packages.



C. LAUNCH LUGS

It is important that launch lugs be glued on correctly because they help to guide the rocket for the first three feet of its flight. Always check the alignment of your launch lugs carefully, especially if there is more than one lug. You can use a spare launch rod to be certain the lugs are properly aligned.



D. NOSE CONES


Sometimes it is necessary to correct the fit of cones and payload sections because they are too tight or too loose in the body tube. For a balsa nose cone, sand the base of the nose cone slightly if the fit is too tight. If the nose cone is plastic, peel away the first inner layers of paper inside the body tube. If the nose cone is too loose, add a wrapping or two of masking tape to the base of the cone. It should fit snugly but not so tight that it will fail to come off when the ejection charge is activated.

E. SHOCK CORDS

Shock cords absorb the shock of ejection and also link the body of the rocket with the nose cone and recovery device. There are many ways to attach shock cords but here are two easy and effective ways:

TUBE-SLIT METHOD:

Cut two slits clear through the tube far enough down the tube so the shock cord attachment won't interfere with the nose cone. Slip the shock cord through these slits as shown and push the paper back in place. Apply glue to the outside of the attachment.



PAPER TAB METHOD

Cut a regular piece of card stock and tie the shock cord around it. Form it to the inside of the tube and glue in place, far enough down inside the tube so the nose cone can still be placed into the top of the tube.



F. PARACHUTE ATTACHMENT


Parachutes may be attached in a number of ways. The shroud lines may be tied to the screw eye or nose cone lug, or they may be tied to the eye of a snap swivel. The snap swivel can then be attached to the nose cone. The snap swivel not only keeps the shroud lines from becoming tangled, but allows quick changing of parachutes from different models.

Another techniqe is to tie the cord through the eyelet, and then tie its free end around the shroud line loop.



G. HOME-MADE PAPER REDUCERS

Making your own paper reducers (or shroud) requires drafting tools, practice and lots of precision!




(1) You must know

Center Point -Transfer onto card stock, along a centerline to determine a center-point.



Draw arcs thru all four intersections using a compass.



FINISHING TECHNIOUES

A model rocket that has a good finish on it and is Impressively painted will become a show piece. A good finish is easy to create, and only takes a little practice. The techniques listed below will help you get a good finish every time.

A. FINISHING BALSA

All balsa parts have wood grain which must be filled with a specially prepared filler before painting. If this is not done, unsightly grain will appear through the paint.

Lightly sand the balsa surfaces with fine sandpaper. Apply two coats of sanding sealer or balsa fillercoat (available at most hobby shops) and allow to dry about 45 minutes, Sand the balsa surfaces thoroughly ... and apply another coat. Allow to dry and sand again. Continue this process until the desired surface is obtained. You will find it doesn't take very many coats to get a glass-smooth finish.











B. PAINTING

You can use either ename! spray paint or butyrate dope to paint model rockets, although the spray will produce a quicker, tougher and better looking finish. Also, you may apply enamel over completely dry butyrate dope, but NEVER apply dope over enamel, as it will completely ruin the finish.


We recommend that you use a good quality enamel spray paint. Spray painting properly requires a bit of patience and practice. Always hold the spray can about 12 Inches away from the rocket and spray with even passes of the can. Don't try to paint the rocket in one coat; use two or three light coats to prevent sags. and then apply a final "wet" coat.

If you wish to use more than one color, apply the lightest color first and allow this coat to dry thoroughly-at least 24 hours. Then mask off the areas you want to stay that color and apply the next lightest color. Continue the process until you have applied all colors to your rocket, then remove the tape carefully.

Masking is an art in itself, but it is not difficult once you try it a few times. Use a good quality masking tape and apply it carefully. You can



mask large areas by using typing paper held down along the edges with masking tape.



C. DECALS

Decals should be applied with care so that they will last the lifetime of the rocket. Make sure the surface is clean and the paint is dry. The smoother the surface the better. Follow the decal instructions for soaking the decal, and avoid touching it with your fingers when applying it, as the oil on your fingers may interfere with the decal sticking properly. Blot the decal carefully to remove all air bubbles and allow to dry overnight. Then cover with a clear enamel spray to protect the decal.



See your Centuri catalog's engine section.

F:5 RECOVERY

The recovery system is one of the most important parts of a model rocket because it returns the rocket safely, to the ground, ready for another flight. Few modelers like spending many hours on a model, only to see it damaged by improper recovery on its first flight. In this section we will describe the major types of recovery systems and give you some tips on how to use them.

A. TYPES OF RECOVERY SYSTEMS

Parachute: Parachute recovery is perhaps the most common form of model rocket recovery. At ejection, the parachute fills with air and opens over the rocket, slowing the descent to a soft landing.



Streamer: A streamer is a long, narrow piece of crepe paper, plastic or mylar which unfurls at ejection and creates drag as the wind passes by it. It slows the rocket down for a safe recovery. Streamers work well in small diameter lightweight models.

Tumble: Tumble recovery is used on very light models. The engine is ejected, changing the stability of the model and causing it to tumble safely back to earth.

Boost-glide recovery: A boost glider returns to e earth by glide recovery, usually ejecting the engine along with a power pod that is recovered by parachute or streamer.



Drag Recovery: In drag recovery the model is lightweight, but large enough to create its own drag and slow itself down as it returns to the ground.



B. PACKING PARACHUTES

There are as many ways to pack parachutes as there are model rocketeers. The best and most reliable way we've found is illustrated here.

Hold the canopy at its center and flatten out the pleats. Fold the canopy and lines as shown.

The parachute should be folded and packed just prior to launch, to avoid remaining folded in descent.


A streamer is simply formed into a roll and inserted into the body tube. At ejection it will unroll and deploy. Be sure to pack it just before launch though, as it will not fully unroll if it is left in the body tube too long.

If you fly in extremely cold weather, you may have to treat your plastic recovery devices to keep them from "setting." Plastic which is left in a cold temperature has a tendency to stick together. You can solve this problem by rubbing chute powder on the parachute. This will make the surface very smooth, will lubricate it and prevent it from sticking.

The amount of wadding used in your rocket is important too. Follow the directions on the package for your first few flights. Soon, you will get a "feel" for how much to use. Remember that the amount of wadding is less important than the volume it fills up. It should be loosely packed but still protect the recovery device.

If your model does not come down fast enough with the parachute you are using, there are several ways to change the descent rate.

- 1. Use a smaller parachute.
- 2. "Reef" the shroud lines with masking tape.
- 3. Cut a "spill hole" in the center of the chute.





A. LAUNCH SITE CHECKLIST

These are items you should bring with you every time you go to fly model rockets.

Launcher Firing system Well-charged battery Engines Igniters Wadding Masking tape

Knife Screw driver Glue Centuri catalog (to check with engines you should use)

Scissors


B. PRE-FLIGHT CHECKLIST

- Pack the recovery wadding into the body tube so the recovery device will be protected.
- Fold and pack the recovery device, insert shroud line and shock cord, seat the nose cone in place.
- Select the proper engine and insert it, checking that it fits properly.
- 4. Make and install a Sure-Shot igniter.
- 5. Place the rocket on the launcher, clean and attach the micro-clips.
- Clear the area. Check for low-flying aircraft in the vicinity.
- 7. Arm the launch controller.
- 8. Countdown.
- 9. Launch your rocket!

F.7 STABILITY & PERFORMANCE

A. FORCES ACTING ON A MODEL ROCKET

A model rocket flying through the air has many forces which act upon it. See the diagram below.



The forces of thrust (produced by the rocket engine), drag (from the air moving across the rocket) and gravity all act on the rocket along its longitudinal (long) axis and are called linear forces. The rocket also is subject to rotational forces (pitch, yaw, and roll) which act about rotational axes.

The point on the rocket where all these axes meet is called the Center of Gravity (CG). It is the point where the rocket balances.

There is also a point on the rocket where all aerodyanmic forces can be considered to be acting. This is known as the Center of Pressure (CP), it is not as easy to find as the CG. Centuri's TIR-33 gives a detailed mathematical analysis of the method of finding the CP of a model rocket but you don't have to do that to find out if the rocket is stable.

B. BASIC RULE OF STABILITY

All you need to know about stability is when your rocket is in flight, it must always have the Center of Gravity (CG) ahead of the Center of Pressure (CP).

STABILITY TEST

An easy way to test for stability is the "swing test." Get a six foot long piece of fairly substantial string and tie it around the balance point of your fully loaded (with engine) rocket. Go out into your back yard or other open area and swing the rocket around your head, watching it as it passes. If the rocket points straight in the direction of flight, it is stable. If it doesn't, don't fly it until you have made at least one of the following corrections:

- Add weight to the nose (moves the CG forward, ahead of the CP)
- Add larger fins at the back (moves the CP ck, back, behind the CG)

Once you have made your corrections, test your model again to see if it is stable. If it still isn't stable, make further corrections.

The swing-test sometimes causes rockets to be "over-stabilized." Some Centuri kits won't quite pass the test, yet all are very stable in flight.

C. PERFORMANCE

While there are many factors acting on a model rocket in flight, few of them can be controlled in order to increase performance. Rotational forces (pitch, yaw and roll) are the result of air acting on the rocket and (except for roll) cannot be controlled. Gravity is the same no matter where we fly on the Earth, so that leaves us with thrust and drag. Thrust can be changed by using a more powerful engine, but to increase the performance of the model itself we can only change the drag on the model.

How can we change drag? What are the factors which affect drag? The drag on a model rocket can be expressed as follows: D = ½Cd pV²A

Where D = Drag on Rocket

A = Frontal Area

V = Velocity of Rocket

p = Density of Air

Cd = Drag Coefficient

This looks more difficult that it is. All this equation says is that drag is affected by the frontal area of the model, the speed at which it is traveling and the density of the air through which it travels. Whats more, it tells us that the velocity of the model is the most important factor; as velocity goes from 100 feet per second to 200 feet per second, drag goes from 10,000 units to 40,000 units (the square of the velocity).

Of all these factors, only two are easily controlled. Air density is fairly constant, and velocity depends on the size of the engine, the weight of the model and other factors. This leaves us with frontal area and the drag coefficient.

Drag increase or decrease directly with frontal area. If we decrease frontal area, we decrease drag. There are a number of ways to decrease frontal area: use a smaller body tube size, use no transition sections, reduce the number and size of fins, However, we must always be careful when changing parts on a rocket that we keep it stable in flight. To get the best performance from your rocket, a good general rule is to use the smallest diameter body tube and smallest size fins THAT WILL GIVE YOU ADEQUATE STABILITY!




Another way to reduce frontal area on your model rocket is to give it a smooth finish. Finishes that have bumps and chips in the paint, rough edges or grain showing through on balsa surfaces present a great deal more surface area to the on-coming air and therfore have more drag. Strive to get a super-slick finish on your model by following the tips in the section on finishing in this manual.

One particular type of drag that can be greatly reduced by the modeler is called induced drag. Induced drag is the drag which results from the altitude at which the model "attacks" the air or by objects on the surface of the model which directly cause the production of drag. One type of induced drag is caused by high angles of attack (see diagram). If the model is not pointing in the direction of the flight it presents a much greater surface area to the air and drag increases. High angles of attack occur when a model wobbles through the air. You can reduce this problem by making the model more stable-add more nose weight or increase fin sizes.




The rocket's launch lug can also be a major source of drag. In fact, studies have shown that it can account for up to 30% of the total drag on the model. You can help reduce this drag by trimming the launch lugs to a streamlined stope as shown below.



One of the most important ways to help cut drag is by using the proper shapes. While sharp angles and pointy shapes may look like they give better performance, studies have shown that at the speeds at which model rockets fly, rounded shapes have the lowest drag. This brings us back to the last factor in the drag equation—the drag coefficient.

The drag coefficient (C_d) is a dimensionless factor that brings into the equation some knowledge about the shape of the model. The less streamlined the model is, the higher the drag coefficient. Every part of the model rocket has a drag coefficient of its own, even nose cones.



Here you can see the parabolic shape has the the lowest drag coefficient and the least drag. Notice that it is rounded; there should never be any sharp angles on your rocket if you want to have the best performance possible.

The idea of using rounded shapes applies to fins, too. Fin cross-sections should be shaped to a streamlined "fish outline" (rounded in the front and drawn to a point in the back). Also, use the fin shapes which are rounded (such as an elliptical shape) which help to reduce drag.

Keeping these factors in mind will help you increase the performance of your rockets.

F:8 MULTI-

A. WHY MULTI-STAGE?


Using more than one stage on a model rocket can greatly increase altitude. Two engines which fire in succession will often carry your rocket higher than if you clustered them in a single stage. It is important to understand how multistaging works before trying this complex model rocketry technique.

B. HOW PASS-PORT* STAGING WORKS


*U.S. Patent No. 3,721,193

The lower stage of the rocket contains a booster engine which has no delay or ejection charge (that's why the designation of the delay charge is "0." Example: A8-0, B14-0, etc.)

As the engine fires, the propellant burns until a very thin wall of propellant remains in the booster engine. When this thin wall breaks, hot particles of propellant are thrown forward into the nozzle of the upper stage engine, igniting it.



In the Centuri Pass-Port Staging System, some of the rapidly expanding gases which contain particles of propellant from the booster engine are allowed to escape through 2 ports in the coupler joining the stages. This allows just a split second to ignite the next stage before the first stage drops off.



The first stage alone is an aerodynamically unstable body that will tumble or glide safely to Earth. Meanwhile, the second stage climbs, with the thrust of a second stage engine adding a boost to the power of the first stage.

C. CHOOSING THE RIGHT ENGINES

When flying a multi-staged model, ALWAYS use only a booster engine in all but the upper-most stage. Generally, it is not wise to fly a rocket with more than three operable stages, as the safety factor of 4 or more staged rockets goes down dramatically. The upperstage engine should be of the standard type, with a delay and ejection charge to activate the recovery system. In most cases, the delay charge should be of greater duration than with a single stage rocket, since the velocity of multi-staged models is much greater applies. and they therefore need more time to

coast to peak altitude. Booster engines are almost never used in non-staged rockets, except in special cases such as the Centuri Flying Saucer and X-24 Bug kits.

D. DESIGN AND CONSTRUCTION

When mounting engines in multi-staged rockets. follow the example shown here. Each stage must be coupled by the special "Pass-Port" coupler (HTC-7CDH) in order for each stage to work properly. In rockets with larger body tubes than a number 7 each stage should be coupled with a stage coupler for that size tube. Best performance will be obtained using a number 10 tube.

ST-108 CR-10 ST-73 CR-10 HTC-7CDH Passport Coupler HTC-10 ST-73 CR-10 ST-73 TB-7 HTC-7CDH Passport Coupler HTC-10 FT-73 HTC-7CDH Passport Coupler HTC-10 ST-103 TB-7

E. STABILITY

Multi-staged rockets
need to be stable
just like singlestagers. The extra
weight in the rear
of the model means
you will need greater fin area. Check
each section of the
rocket separately, starting by

HTC-10

CR-10

ST-73

ST-103

CR-10


Thrust Ring

for uppermost stage.

doing the "swing test" for uppermost stage, then adding each stage one at a time and checking stability.

F. RECOVERY

Because multi-staged rockets fly to very high altitudes, then have a greater tendency to drift. Try using a streamer or parachute with a spill hole to reduce drift. Never fly multi-staged rockets in high winds as they have a tendency to fly into the wind and may end up a long way from the launch site.



G. SPECIAL FLYING PRECAUTIONS

- Be sure to use booster type engines in each booster stage.
- Use an engine with a delay and ejection in the uppermost stage.
- Never use a standard engine in the booster as this will almost certainly cause a crash.
- Be sure all engines have their nozzles pointing rearward.

- When fully prepped, stages must couple together smoothly and snugly. Fit should be tight enough so that boosters do not fall out of upper stage by their own weight.
- Fly over soft dirt or grass to minimize damage to the tumbling booster as it lands.




One of the most exciting aspects of model rocketry involves launching gliders with model rocket engines. There are various kinds of boost gliders, but in each case the rocketeer must solve the problem of launching a glider (designed to fly at low speeds) by means of a rocket engine (designed to fly at high speeds).

A. TYPES OF GLIDERS

Many designs have been used to solve these problems. The varied designs of boost-glider vehicles include the forward engine B/G, the rear engine B/G, the pop-pod and the parasite. Of these four types, the most common today are the last two.


In a pop-pod boost glider, the rocket engine is enclosed in a "pod" made up of a body tube, nose cone, thrust ring, recovery system and a balsa (or other type of wood) pylon which attaches the pod to the glider. There are several methods of pod attachment, the most common being the "piece x" attachment, in which a small piece in the shape shown below is cut out of the body of the glider and attached to the pylon.



A parasite glider is one which is carried aloft on a larger very stable rocket booster. A good example of this is the SST Shuttle kit. In the case of both the pop-pod and the parasite, the glider is boosted to peak altitude by the addition of a rocket which makes the glider stable during boost. After boost, this rocket portion is ejected and the glider returns to earth in a normal aerodynamic glide.

B. GLIDER FLIGHT

Making your B/G fly properly in both the boost and glide phase can be a difficult problem. When a glider glides through the air, its aerodynamic surfaces (wind, horizontal stabilizer and rudder) provide the lift to sustain flight at low airspeeds. The center of gravity for gliding should be in a specific location on the wing. However, during boost, the wing should not act to create lift. It is necessary to move the center of gravity forward so it is substantially in front of the wing. The addition of a pop-pod, with the weight in the front, accomplishes this.



C. DESIGNING A GLIDER


You can design your own pop-pod boost glider using the parameters give below. When designing any glider, start by selecting the area of the wing. From there, the other dimensions will fall into place. The chart below will give you a rough idea of how much wing area to use for any power engine. ENG

TINE TYPE	WING AREA
V2A	20 sq. in.
A	30 sq. in.
В	45 sq. in.
C	60 sq. in.


The area of a rectangular wing is equal to the length (span) times the width (chord). Choose a dimension for one side, plug it into the formula and it will give you the dimension for the other side. (Ex: for 1/2 A gliders, A = 20 sq. inches. If the wing is 2 inches wide, then it is 10 inches

From these dimensions we can get the other dimensions of the glider. The area of the horizontal stabilizer is equal to 1/3 to 1/4 of the wing area. The rudder should be 1/10 the wing area. Determine the dimensions of the span and chord of each of these pieces as you did with the wing, by choosing a dimension for either span or chord and plugging it into the formula to get the other dimension.

Now we have dimensions for all the surfaces of the glider. The body length is determined by



Finally, we need to determine dihedral, which is the angle between wing panels. This is equal to 1/8 of the wing span for each side. As you can see, there are a number of ways to form dihedral. The small V type is the easiest to make, but try different kinds.



The last step is to make a pod. The pylon should be large enough to keep engine exhaust off of the wing. This should be at least 1/2 to 3/4". Make sure the pod will come off smoothly at ejection, but isn't so loose it falls off before launch.

Make sure you trim your glider before launch. Small bits of clay can be added to correct for stalls and to make the glider turn left or right.

Sometimes a single engine is not enough to launch a large heavy model. Clusters of several engines are used to accomplish this task. Remember that when engines are clustered they should be close to each other and should be balanced around the counterline of the rocket.





mount in


#16 tube



mount in #16 tube

#20 tube

When igniting a clustered model you should always use a 12 volt car battery to ensure sufficient current to ignite all the engines. You should always use Sure-Shot* igniters and a cluster clipwhip. A clip whip can be made from regular 18 guage wire and micro clips. Each clip should have as many leads as you have engines to ignite. Clip one lead from each clip whip to each igniter and make sure none of the clips touch each other.



Before packing the engines into your rocket, place a small amount of recovery wadding in the front end of each engine. This will prevent the damage to your model if one engine does not fire. Many times the ejection charge from one engine can start another engine burning from the ejection charge end.

= 11 on your

MORE ACTIVITIES

- Get involved in model rocketry by joining a local rocket club. You should also join the National Association of Rocketry (NAR) for more extensive rocketry activities
- Join the Centuri Aerospace Team (CAT)-Centuri's special club for customers who want factory-direct info on special offers and products.
- Build and fly more Centuri kits, increasing your abilities by advancing upward through higher skill levels.
- Design your own rocket-Centuri's Design Manual can help you here.
- Take part in local, regional and national model rocket contests sponsored by the NAR.
- Tell your teacher about Centuri rockets and to write to us for free information on using model rocketry in the classroom.

Just write: Centuri P. O. Box 1988 Phoenix, AZ 85001

FOURTH WORLD SPACE MODELING CHAMPIONSHIPS From September 7th through 12th, 1980 the National Association of Rocketry hosted the Fourth World Space Modeling Championships at the U.S. Naval Center at Lakehurst, NJ. This, the first United States "Internats", attracted contestants from the US, Canada, Great Britain, Spain, West Germany, Australia, Bulgaria and Poland. Centuri participated in the

DOCKETTIF



The US Team did exceptionally well, bringing home a total of six gold medals, seven silver and three bronze medals. In addition, the US Team won the overall Team Championship for the meet, the world championship of model rocketry!

The US did very well in the streamer duration, payload and scale altitude, taking gold medals in all three events. They took silver and bronze medals as well as team gold medals in scale altitude.



US Team search for thermals with their RC glider entries.



A Bulgarian team member slides his 1st place winning scale model of the Russian Soyuz on to the launcher.

The scale competition went to the Bulgarians who flew three beautifully scaled replicas of the Soviet Soyuz launch vehicle. The Bulgarians also took the gold in boost glider. beating out 1978 World Champ "Guppy" Youngren in a closely fought fly-off after each country turned in three "max" flights in regular competition.

All in all the meet was a great deal of fun and offered the opportunity for many American rocketeers to make friendships with their counterparts in other parts of the world. Everyone looks forward to the Fifth World Championships, now scheduled for for 1982.

"WAR IN SPACE". WILL IT HAPPEN?


Satellite killers will play an important role in any future superpower conflicts, Designed to move close to existing communications and military satellites and destroy them, this offensive capability is important in reducing enemy strike potential.

Today there are thousands of satellites in Earth orbit and only a small percentage perform duties related only to peace-time activities. In some cases, it is not clear what the functions of Russian military satellites are.

In the event of an enemy attack, satellite killers would be valuable in helping to knock-out enemy communications, Over 70% of all military communications are now handled by special communications satellites, and satellite killers that could destroy this network would help to dramatically reduce the effectiveness of an enemy attack, Many military experts believe that the use of satellite killers to destroy communications and surveillance satellites would be a precursor to a full-scale enemy attack.

At the present time, the method of attack is simple-the satellite killer moves close to it's target and explodes damaging or destroying the target with shrapnel. It is conceivable that in the near future, satellite killers will be equipped with high-powered lasers which would destroy a target satellite. The Centuri Satellite Killer is an example of the latter type-a reusable satellite weapon of the future.





Centuri

PHOTO CONTEST



David Dhalstrom and Bobby Scheibling are this issue's photo contest winners. Their professional-like entry shows a Saturn 1B being transported on a mobile launcher of their own design.

You can enter this ongoing Photo Contest and try for the prize, a \$25 Centuri Merchandise Certificate. A winner is picked for each issue of Rocket Times. Send in your best photo about model rocketry or real rocketry addressed to: Photo Contest, Rocket Times, Black and white photos are best and be sure to try for good contrast and sharp focus.

BLACKBIRD DATA CONTEST

C.A.T. members are invited to test their skills in a new contest. When we designed our new SR-71 Blackbird kit (see pg. 32) we found some interesting facts. The surface temperature of any aeroplane rises as it goes faster as a result of friction generated between its skin and the air molecules travelling over it. Because of this great heat, regular aluminums can not be used because they would melt. What special metal allov is the the real Blackbird skin made of? The 1st 10 correct entries will be awarded a Magnum-D Hornet kit.

The deadline for entries is Dec. 1, 1981, Send to: Blackbird Data Contest care of Centuri C.A.T. director.

"ANTIQUE" SPACESHIP

FOR FANS OF "OLD TIME" S.F. FILMS







Here's your chance to become a C.A.T. contest winner and receive a valuable prize. It's easy toojust follow the rules and match each photo with the correct movie title on the form below. The first 20 correct entries will receive a free Space Shuttle Columbia kit.







RULES:

1. Entries must use coupon below (or facsimile). Blacken one square in each row across.

Entries cannot be accepted after December 1, 1981. 3. Prizes awarded to the first 20 people to correctly identify all photos

4. One entry allowed per person. Entries become the property of Centuri and

5. Employees of model rocket companies and their families are not eligible Winners will be notified by mail within 60 days after deadline. Names will be published in next Rocket Times.

			-		-	
Century Box				85	500	01
ANTIQUE SPACESI	нп	? C	01	NT	ES	T
Name				16	-	
Address	S.	4				
сиу		4				_
State	. 21	n _				
Master of the World	A	В	C	D	Е	1
Wild, Wild Planet	A	В	C	D	E	H
Destroy All Monsters	A	В	C	D	E	I
Battle in Outer Space	A	В	C	D	E	Ī
When Worlds Collide	A	В	C	D	E	F
First Menonthe Moon	A	В	C	D	E	F

TV SPACESHIP CONTEST

The 20 winners in our TV Speceship Contest are listed below, Each identified the spaceships correctly as:

Fireball XL5-E UFO-R Project UFO-D Captain Scarlet-C Rogers kit. Quark-A Space: 1999-F

James L. Talley Jr., Norcross, CA James Karich, Bethesdo, MD Tim Lanon, Rockford, Mi Lura G. Restnous, Mostes, OK Morris Argyle, Idaho Falls, ID Soutt Schork, Philadelphia, PA Mitch Emerick, Philadelphia, PA Antoine Lioyd, Wyandaneh, NY Romie Taylor Jr., Falmouth, VA A.J. Urania Jr., Norfolk, VA Paul Hollesdorfer, Colo. Spes. CO Merrick Terry, Canada John Edwards Jr., St. Petersburg, Fi. Glann Chung, Greendale, WI Byung Lee, Chicago, IL Store Kral, Maledonia DH Mark McCarty, Huntsville, AL Scott Gilman, Olympia Fields, I.L. Benjamin Mant, LaPorte, TX Romald Basham, Muldragan, KY

Photo

shows

place

Allen

second

winner.

Javelin II

designed

Vermette.

Winthrop

Maine.

Join us on the

You can have your photo here too. Just fill out the Data Form included in your CAT membership packet and send it in with a clear photo of yourself (preferably black &

CENTURI AEPOSPACE TEA



KURT SINGERMAN: 13 year old Kurt has been an active rocketeer in Fairborn OH for over 2 years now. He thinks Centuri instructions are the best and dreams of riding in a real rocket someday



JOHN RATHER: 16 year old John enjoys giving lecture demonstrations at the public library in Racine WI. He is an active NAR member and enjoys teaching model rocketry as well as being an active



competitor.

SAMMY HO: 12 year **DARRON WOODS:** old Sammy is a mem-Darron is a two year ber of a local model model rocketry rocket club in New veteran from Union Carrollton MD and City CA, He's 14 says when the club and hopes to somelaunches they always day design and get a large crowd of build his own rocket spectators. Sammy to ride in himself! would like to Darron enjoys pets become an astronaut and hopes to be someday. become a veterinarian.



JEANNE BRADY: Jeanne is 7 and lives in Washington MI. Her mother introduced her to model rocketry and now she enjoys it as much as her other hobbies of gymnastics and dancing.



NEIL GLOVER: Neil of Jefferson OH is 17 years old and is designing and building a radio controlled launch tower for his Saturn V. Soon he'll be going to college to become an Aerospace Engineer.



BREN BAILEY: In Charlotte NC it's Bren who steals the show, TV that is! Bren was selected for an episode on rocketry for the popular TV show Kidsworld this year. When he's not busy signing autographs Bren likes to design rockets. At 17 Bren is becoming a local model rocket celebrity.



Centuri

Centuri

HERE ARE 10 GOOD **REASONS TO JOIN** THE C.A.T. NOW! All this for only \$2.00

sent automatically. The chance to enter and win C.A.T. contests.

> The chance to be in the catalog.

Your own copy of the

next Centuri catalog.

4 C.A.T. DATA FORM

Probably the most important part of your C.A.T. kit! You complete this simple form about your model rocketry activities to become eligible to have your photo in a future issue of this catalog.

IRON-ON SHIRT INSIGNIA A large 6"x7" three-color emblem for your T-shirt or jacket. Central Easily irons on and remains permanently. You'll be proud to identify with other Rocketeers.

6 MODEL ROCKET DESIGN MANUAL Worth \$1.25 by itself! Large 81/2"x11" book, contains 32 illustrated pages. Explains design tips, construction techniques plus dozens of photos and over 100 diagrams.

C.A.T. DECAL SHEET Impressive 3-color decal containing 16 Team insignias. Measures 31/2"x9". Colors are red, white, and blue.

B C.A.T. MEMBERSHIP CARD Wallet size card identifying you as a member of the "Team." Also has Safety Code on back of card.

C.A.T. WALL CERTIFICATE A beautifully lithographed certificate with your name inscribed and ready for framing.

TO C.A.T. FIELD BOX STICKER Apply this colorful I.D. sticker to your notebook, bicycle, car, field box, or even your rocket.

C.A.T. CLUB MEMBERSHIP

\$3.20

VALUE

only

Now, 3 or more rocketeers joining the C.A.T at the same time can also get the special Club Membership for only \$2.50. It includes certificate with your club name, current catalog and these 3 popular books for your club library: Club Guide, Rocketeers Guidebook and Power-System Handbook. To quality, at least 3 must join the C.A.T., using the same envelope.

Box 1988, Dept 718









CONTEST WINNERS

Thanks to the many C.A.T.



Joey Earls, Delaware, OK Curtis Chi, Conover, NC Chi Wong, Canada Ravindra Lalka, Rocky Mount, NC Richard Hayes, Canada Lawrence Bercini, High Point, NC Anuphong DeYoung, Wahiawa, HI Bryan Caldwell, Dallas, TX Josh Steiner, Beverly Hills, CA gel, Seldan NY chen, Canada Bennington, VT e, Fairless Hill, PA



\$2.50	Douglas Den Kenneth Lui
	Scott Gross, Khalid Aryn Philip Levy.
THE RESIDENCE	THE RESERVE

Available of	nly by	y mall from Conding charge	centuri. Th	e "Sp	ecial
Prod. No. Q					

Prod. No.	Qty.	Description	Pg.	Ea	Total
5460		C.A.T. Membership	61	2.00	
5459		C.A.T. Club Memb.*	61	2.50	
907383		M.R. Hq. Poster	63	1.50	1100

*CLUB NAME:

Centuri Phoenix, AZ 85001

PROMOTIONAL ORDER FOR	M # 811
Name	
Address	

Zip

IMPORTANT NOTICE: Centuri model locketry products are intended for hobbyists and experimental and educational usage. Model rocketry has one of the best safety records of any action hobby or outdoor recreation. However, it is still important that the utmost care be exercised in the use of our model products and that all storage and operating instructions are followed. Centuri model rocketry products are recommended for ages 10 to adult. Adult supervision is suggested for those under 12 years of age, It is also important that you use your model rocketry products in accordance with your local applicable laws.

Safety Code

- 1. CONSTRUCTION My model rockets will be made of lightweight materials such as paper, wood, plastic, and rupber without any metal as structural parts.
- ENGINES I will use only pre-loaded factory made model rocket engines in the manner recommended by the manufacturer. I will not change in any way nor attempt to reload these engines.
- 3. RECOVERY I will always use a recovery system in my model rockets that will return them safely to the ground so that they may be flown again.
- A. WEIGHT LIMITS My model rocket will weigh no more than 453 grams (16 ozs.) at IIIt-off, and the engines will contain no more than 133 grams (4 ozs.) of propellant.
- 5. STABILITY I will check the stability at my model racket before its first flight, except when taunching models of already proven stability.
- 6. LAUNCHING SYSTEM The system I use to launch my model rockets must be remotely-controlled and electrically operated and will contain a switch that will turn to "off" when released. I will remain at least 15 feet from any rocket that is being launched.
- 7. LAUNCH SAFETY I will not let anyone approach a model rocket on a launch until I have made sure that either the safety interfack key has been removed or the battery has been disconnected from my
- 8. FLYING CONDITIONS I will not launch my model rocket in high winds, near buildings, power lines, tall trees, low flying alreraft or under any conditions which might be dangerous to people or property.
- 9. LAUNCH AREA My model rockets will always be launched from a cleared area free of any easy to burn materials, and I will only use non-flammable recovery wadding in my rackets.
- 10. JET DEFLECTOR My launcher will have a jet deflector device to prevent the engine exhaust from hitting the ground directly.
- 11. LAUNCH ROD To prevent accidental eye injury I will always place the launcher to the end of the rod is above eye level or cap the end of the rod with my hand when approaching it. I will never place my head or body over the launching rod. When my launcher is not in use I will always store it so that the launch rod is not in an upright position.
- 12. POWER LINES I will never attempt to recover my rocket from a power line or other dangerous places.
- 13. LAUNCH TARGETS & ANGLES I will not faunch rockets so their flight path will carry them against targets on the ground, and will never use an explosive warhead, nor a payload that is intended to be flammable. My launching device will always be pointed with in 30 degrees of vertical.
- 14. PRE-LAUNCH TEST When conducting research activities with unproven designs or methods, I will when possible determine their reliability through pre-launch tests. I will conduct launchings of unproven designs in complete isolation from persons not parlicipating in the actual launching.

ROCKETACTIVI

1. These are some of the organizations which have model rocketry programs. Check in your community.

Schools Youth Centers Museums 4-H Church groups Jay-Cee's Camps YMCA/YWCA Kiwanis Scouts

Park Departments Vocational Training Observatories Lion's Clubs Boy's Clubs Civil Air Patrol

- 2. Ask your local rocket dealers. Look in the yellow pages under "Hobby and Model Construction Supplies".
- 3. Ask at nearby schools. Many clubs are school affiliated.
- 4. Form your own club following the Centuri Club Guide-5. Join the N.A.R. As a member you may ask for a list of N.A.R. sections (clubs) and members in your area.

The National Association of Rocketry is THE official nonprofit organization for model rocketry. Open to all serious rocketeers, membership includes competition book, license, insurance, decals and monthly magazine. The NAR establishes safety rules, certifies records, publishes technical materials, and promotes model rocketry. See address below (other addresses are of similar organizations outside U.S.).

National Association of Rocketry 182 Madison Drive, Dept. C-81 Elizabeth, PA 15037

NAR

Canadian Association of Bocketry Dept. C-81, Suite 302 151 Slater St. Ottawa, Ontario K1P5H3, Canada

Rocketry Advancement Soc. of Australia P.O. Box 287 Summer Hill, NSW 2130 Australia

New Zealand Spaceflight Association P.O. Box 2945, Dept. C-81 Wellington, New Zealand

Swiss Astronautical Society (SAFR) Lidostrasse 5 CH-6006 Luzerne Switzerland

Dutch Rocket Research Amoc. 3800 AH Amerstoors Netherlands

(Rocket kits are indexed on page 38)

SIGNI WIT INDEN

NUN-KII IN	IDEX
Airframe Parts	44
Balsa Connectors	44
Battery Clips	41
Beginner Kits	10-15
Big Shot Outfit	- 6
Body Tubes	44
Boost Glider Kits	30
Centering Rings	46
Chute Kits	42
Chute Powder	43
Columbia	9. 21
Decais	46
Deflector	41
Designer's Special	34
Engle Power	6
Eneriet Engines	39
Engine Locks	46
Engine Mounts	46
Engines	39
Fasteners	51
Lasternors.	9.5

Fighter Fleer Kits 26, 27	Recovery Devices 42, 43
Flight Packs 35	Reducers 36
Igniters 39	Rocket Rack 44
Flying Saucer Outfit 8	Rocketry Exp. 34, 35, 47
Guidebooks 48	Sci. Fi. Kits 18, 19
Hallow Couplers 44	Shock Cord 43
Launch Equip. 40, 41	Sp. Sh. Outfit 9
Launch Lugs 46	
Launch Rods 41	Sport Scale Kits 20, 21
Lightning Bolt 40	Starter Sets 6-9, 47, 64
	Streamers 43
Magnum-D Engines 39	Strike Force Kits 24, 25
Magnum Kits 15, 31-33	Super-C Engines 39
Manuals 48	Super Kits 16, 17
Multi-Stage Kits 28, 29	Super Scale Kits 22, 23
Micro Clips 41	Sure-Shot 39
Nose Cones 45	Tactical Missiles 24, 25
Outfits 6-9, 47, 64	Tape Discs 43
Parts 44-46	Tech Reports 48
Parts Assortment 34	Thrust Rings 46
Power-System Outfit 47	Thunder Hawk Outfit 64
Power-Tower 41	Thunder Kits 15
Powr-Control 41	Viking 35, 36
Powr-Pad 40	Wedding 43
Publications 48	War in Space 2

NUMBER INDEX , Prod. Pg. , Prod. Pg. , Prod. Pg.

5173 5175	10 29	5331 25 5332 25	5406 5407	10
5200	47	5333 24	5440	35
5205	8	5338 15	5441	35
5206	9	5339 15	5445	35
5208	64	5340 15	5446	35
	16	THE PERSON NAMED IN COLUMN	5447	35
				34
		THE STATE OF THE S	100000000000000000000000000000000000000	39
	3/5/01			41
				40
				40
				41
		The state of the s		39
		THE RESERVE TO SERVE		
				39
				39
	5175 5200 5205	5175 29 5200 47 5205 8 5206 9 5208 64 5307 16 5308 17 5310 17 5312 16 5317 26 5318 26 5319 26 5320 26 5321 26 5321 26 5321 18	5175 29 5332 25 5200 47 5333 24 5205 8 5338 15 5206 9 5339 15 5208 64 5340 13 5307 16 5341 31 5308 17 5342 31 5310 17 5343 21 5312 16 5344 13 5317 26 5345 2 5318 26 5346 2 5318 26 5346 2 5320 26 5348 32 5321 26 5349 32 5321 26 5349 32 5322 18 5352 32	5175 29 5332 25 5407 5200 47 5333 24 5440 5206 9 5339 15 5441 5208 64 5340 15 5446 5307 16 5341 31 5458 5310 17 5342 31 5458 5310 17 5342 31 5601 5317 26 5346 13 5601 5317 26 5346 2 5608 5318 26 5346 2 5608 5318 26 5346 2 5608 5318 26 5348 33 5690 5321 26 5348 33 5690 5321 26 5348 33 5692 5320 26 5348 33 5692 5320 18 5352 32 5836

THE "LINE-UP".

This photo displays nearly the entire line of Centuri kits. It's a handy reference for color schemes and size comparisons.

Send for a huge 13" x 26" version of this "Model Rocket Headquarters" wall poster. Only \$1.50 (prod. #907,383). Use the handy coupon on page 61.

FULL ONE YEAR Warrantu

Your Centuri product is warranted against defects in materials or workmanship for one year from the date of the original purchase. Any Centuri product which because of a manufacturing mistake, melfunctions or proves to be defective with in the one-year warrenty period will be repaired or replaced, at Centuri's option and at no charge to you, provided it is returned to Centuri with proof of purchase.

This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

For retials or replacement under this warranty please return the defective part of your Centuri product with proof of purchase to Centur in care of Connumer Rate tions Department

